


CERN COURIER

International Journal of High Energy Physics



VOLUME 28

2

MARCH 1988

The Post-Doc who nursed it left!

He said it would have
12-bit resolution...

We'll need twice
as many crates.

Documentation?

How do we
interface it?

What standard
is this in?

Where are
the spares?

The Pool doesn't
support it.


He said it would
be "easy"

What happened to
\$20 a channel?

LeCROY WON'T LEAVE YOU IN THE DARK!!

COMMERCIAL detector readout
systems, triggering systems, high voltage, fiber optic communications,
waveform recording and components with these advantages:

- Guaranteed specifications and prices
- Warranty and after-sales service
- High performance, precision and speed without sacrificing high density packaging
- Standard systems including CAMAC, FASTBUS, GPIB, and NIM
- Rigid environmental testing
- Worldwide design assistance and technical support
- Expandable and upgradable



The next time you need precision, speed and density in research-grade electronics, call LeCroy and don't get left in the **DARK!**

LeCroy electronics for the physics research community for over 20 years . . .

LeCroy

700 South Main Street
Spring Valley, NY 10977, USA
Sales: (914) 578-6013
Technical Information: (914) 578-6015
TWX: 710-577-2832

Laboratory correspondents:

Argonne National Laboratory, USA
M. Derrick

Brookhaven National Laboratory, USA
N. V. Baggett

Cornell University, USA
D. G. Cassel

Daresbury Laboratory, UK
V. Suller

DESY Laboratory, Fed. Rep. of Germany
P. Waloschek

Fermi National Accelerator Laboratory, USA
M. Bodnarczuk

KfK Karlsruhe, Fed. Rep. of Germany
M. Kuntze

GSI Darmstadt, Fed. Rep. of Germany
G. Siegert

INFN, Italy
A. Pascolini

Institute of High Energy Physics,
Beijing, China
Wang Taijie

JINR Dubna, USSR
V. Sandukovsky

KEK National Laboratory, Japan
K. Kikuchi

Lawrence Berkeley Laboratory, USA
W. Carithers

Los Alamos National Laboratory, USA
O. B. van Dyck

Novosibirsk Institute, USSR
V. Balakin

Orsay Laboratory, France
Anne-Marie Lutz

PSI Laboratory, Switzerland
J. F. Crawford

Rutherford Appleton Laboratory, UK
A. D. Rush

Saclay Laboratory, France
Elisabeth Locci

Stanford Linear Accelerator Center, USA
M. Riordan

Superconducting Super Collider, USA
Rene Donaldson

TRIUMF Laboratory, Canada
M. K. Craddock

Copies are available on request from:

China —
Dr. Qian Ke-Qin
Institute of High Energy Physics
P.O. Box 918, Beijing,
People's Republic of China

Federal Republic of Germany —
Gabriela Martens
DESY, Notkestr. 85, 2000 Hamburg 52

Italy —
INFN, Casella Postale 56
00044 Frascati
Roma

United Kingdom —
Elizabeth Marsh
Rutherford Appleton Laboratory,
Chilton,
Didcot
Oxfordshire OX11 0QX

USA/Canada —
Margaret Pearson
Fermilab, P.O. Box 500, Batavia
Illinois 60510

General distribution —
Monika Wilson
CERN, 1211 Geneva 23, Switzerland

CERN COURIER is published ten times yearly in English and French editions. The views expressed in the Journal are not necessarily those of the CERN management

Printed by: Presses Centrales S.A.
1002 Lausanne, Switzerland

Published by:
European Laboratory for Particle Physics
CERN, 1211 Geneva 23, Switzerland
Tel. (022) 83 61 11, Telex 419 000
(CERN COURIER only Tel. (022) 83 41 03)
Telefax (022) 82 19 06

USA: Controlled Circulation
Postage paid at Batavia, Illinois


Volume 28
No. 2
March 1988

CERN COURIER

International Journal of High Energy Physics


Editors: Gordon Fraser, Brian Southworth, Henri-Luc Felder
(French edition) / Advertisements: Micheline Falciola / Advisory Panel: P. Darriulat (Chairman), H. Bøggild, H. Lengeler, A. Martin

Around the Laboratories	
1	CERN: LEP progress <i>Tunnel breakthrough, experiments advance</i>
4	CHINA: First circulating particles <i>New electron-positron ring supplies beam</i>
4	FERMILAB: Looking to upgrade/New tagged hadron beam <i>Tevatron plans/Looking at charm</i>
10	GRENOBLE: European Synchrotron Radiation Facility <i>New machine for Europe</i>
13	BERKELEY: Another narrow peak <i>More unexplained effects</i>
13	SUPERCOLLIDER: And then there were seven... <i>Selecting sites for proposed giant machine</i>
15	DESY: HERA progress <i>German electron-proton collider advances</i>
16	CERN: LAA for new detectors/Looking at beauty <i>New R and D programme gets underway/Making particles with heavy quarks</i>
23	DETECTORS: Fast calorimetry <i>Barium fluoride in action</i>
27	People and things



Cover photograph:

An array of barium fluoride crystals exploited by Brookhaven photographer Mort Rosen. For particle physics exploitations, see page 23.



NORWAY AT LA NORVEGE AU



NATIONAL ELEKTRO
NORSK KABEL
NATIONAL TRANSFORMER
DATAKABLER

: Electrical installation work (low and
high voltage)-power-, rectifier and try
type transformers - cables - telecom-
munication equipment - switchbo-
ards.

COM TRONDHEIM
COM ODDA

: CAD/CAM electronics PCB design.
Manufacture of single- and double
sided PCB's.

SK DATA

: Computers with peripheral equip-
ment.

TEREX

: Specialist in high performance gra-
phics. Boards, monitors and software.

SEEM POWER

: Laboratory Supplies, 0-32(64)V,
100 (50)A
Battery Chargers 12-24-48 V, 600 W
or larger
Switch-mode AC/DC, DC/DC, DC/AC
Converters
Custom built Power Supplies for In-
dustrial and Military Applications.

S T K

: Electrical power cables.
Communication cables.
5500 BCS integrated services busi-
ness communication systems.

STEINSVIK

: Components for jet engines and gas
turbines.

EXPORT COUNCIL OF NORWAY: Organizer of the joint presentation.

FASTBUS... TRY US...

AVAILABLE NOW:

IN ALL... 57 ITEMS ON OUR PRODUCT LIST

FROM PRODUCTION:

try... the F250 STATE GENERATOR
 the F820 SCANNER PROCESSOR
 the F900 SEGMENT INTERCONNECT
 the F180 CABLE SEGMENT TRANSCEIVER AUX. CARD

AVAILABLE SOON:

 the F930 BLOCK MOVER II (as from March 1988)
 the F432 TDC TIME-TO-DIGITAL CONVERTER (July 1988)
 ... and more

If you haven't received our latest Price List

PLEASE CALL or CONTACT US NOW!

KINETIC SYSTEMS INTERNATIONAL

3, chemin Taverney, CH-1218 Le Grand-Saconnex, Geneva, Switzerland
Tel. (022) 98 44 45 • FAX (022) 980 525 • Telex 289 622

In Germany: Dr. Fred Bloennigen, Mozartstrasse 21
D-7800 Freiburg im Breisgau (tel. 0761 33 265)

PARTICLE DETECTORS

- Streamer tubes chambers
- Read out strips
- Portable modules for teaching purposes (made of streamer tubes chambers, HV System, read out system and traces visualization)

- Acrylic scintillators and light guides
- W.L.S.

POLIVAR


POLIVAR S.p.A. - Via Trieste 10/12, P.O. Box 117 - 60040 FOMELZA (ANCONA) - ITALY - Tel. 06-912101
 Tx 611227 - Fax 06-9126246

New


FROM SPECTRUM CONTROL GmbH

To Enhance Your Data Collection System

Quad Fastbus Line Drivers



- ☐ High speed driving of differential multidrop bus.
- ☐ Extreme package density.
- ☐ High speed - $t_r = 2\text{ns}$ - $t_f = 2.5\text{ns}$.
- ☐ Reliable hybrid circuit design.
- ☐ Proven performance in high speed data collection systems at several nuclear research laboratories.
- ☐ Off-the-shelf delivery.



SPECTRUM CONTROL GmbH

FOR MORE DETAILS, ASK FOR ENGINEERING BULLETIN 27-0027-73.

Your Contact in the U.S.A.: SPECTRUM CONTROL, INC.

2185 West Eighth Street, Erie, PA 16505 U.S.A.

Phone (814) 455-0966. TWX 510-699-6871. FAX: (814) 455-2550.

In Europe: SPECTRUM CONTROL GmbH, a subsidiary of Spectrum Control, Inc.

Hansastraße 6, D-8540 Schwabach, West Germany

Telefon (09122) 795-0. Telex 625008. Telefax (09122) 795-58

Around the Laboratories

On 8 February the 27 kilometre LEP tunnel excavation was completed with an explosion clearing away the last rubble from the troublesome section under the Jura. CERN Director General, Herwig Schopper, and LEP Project Leader, Emilio Picasso, cut the symbolic ribbon opening the route to electrons and positrons all around the ring.

(Photo CERN 139.2.88)

CERN LEP progress


With installation work in the first completed section of CERN's LEP electron-positron collider pushing ahead at top speed, the final breakthrough in the 27 kilometre tunnel was made deep under the Jura mountains early in February after more than four years of herculean toil.

Less than two years after the official groundbreaking ceremony by Presidents François Mitterrand of France and Pierre Aubert of Switzerland in September 1983, excavation work for the access shafts and underground caverns was well advanced, and tunnelling machines came into action. Problems with water seepage in the section deep under the Jura mountains slowed down progress in that area, but the impact on the overall schedule was minimized by embarking on machine installation in the completed part of the tunnel, with French Premier Jacques Chirac and Swiss President Pierre Aubert putting the first magnet in place last June (see July/August 1987 issue, page 1). Injection of a beam from the neighbouring SPS synchrotron into the first section of LEP is scheduled for July of this year, and first electron-positron collisions for July 1989.

The pace also quickens for final assembly of the four giant detectors Aleph, Delphi, L3 and Opal for LEP. L3, the largest experiment, was the first to start installing equipment underground, last summer. Aleph follows suit this month

Installation begins of the large octagonal windings for the 'magnetic cave' of the L3 experiment.

(Photo CERN X51.1.88)





The light heavy-weight: the PCM-23 VF PCM tester is big on features, but low in the weight

The PCM-23 is the first hand-held VF PCM tester in the world. It's just the job for in-the-field testing between analog interfaces. All measurements required by CCITT O. 133 are included: ★ level ★ overall loss ★ stability ★ variation of gain with ★ input level ★ crosstalk ★ idle channel noise ★ total distortion (S/Q). Synthesizer accuracy, frequency settable in 1 Hz steps; built-in d.c. loop-holding circuits; memory for up to 100 device settings.

All this from a unit that fits in the palm of your hand!

Ask for more informations.

Wandel & Goltermann (Schweiz) AG, Postf. 254, 3000 Bern 25
Tel. 031-42 66 44, tlx. 912 350 wgch, Fax 031-42 61 33

Please check off your requirements:

☐ Free color brochure on the PCM-23

☐ Information about your PCM instruments

Name

Company

Street

Town

Telephone no. E 7410 K


and Delphi and Opal are not far behind.

A notable 1987 milestone was the completion and delivery of the coils for the experiments' huge magnets. Aleph's 5 metre-diameter superconducting coil arrived first, after its overland journey from Saclay (see July/August 1987 issue, page 14). Delphi's superconducting coil, slightly bigger, arrived in December after an epic trip over land and water from the UK Rutherford Appleton Laboratory (see December 1987 issue, page 23).

CERN and Munich's Max Planck Institute developed special instrumentation for measuring the magnetic field inside both these coils, the uniformity of which is important for the central detectors to be mounted inside.

Built at CERN, Opal's 4 metre-diameter conventional magnet coil was put through its paces in December, attaining its nominal power of 5 Mwatts (7000 amps) without mishap.

The 1000 tonnes of octagonal windings for L3's 16 metre-wide 'magnetic cave' have gradually been taking shape at CERN, and installation underground got underway in January.



(Top) The 5 metre superconducting coil for the Aleph experiment at CERN's LEP electron-positron collider is eased into its yoke. The coil was built at Saclay and the yoke put together by Italian industry in Milan.


(Photo CERN X481.7.87)


(Middle) Delphi's 6.2 metre diameter superconducting coil, the largest in the world, arrives at CERN from the UK Rutherford Appleton Lab.

(Photo CERN X027.12.87)

(Below) The 4 metre-diameter coil for the OPAL experiment performed well in power tests.

(Photo CERN X235.12.87)





CHINA First circulating particles

Following production of China's first positrons, the new BEPC Beijing Electron-Positron Collider continues to make good progress, with first beams injected into the 240 metre storage ring.

BEPC is designed to take electron and positron beams to between 2.2 and 2.8 GeV, fed by a 1.6 GeV linac. After a big push last year to install components for the ring, a test was made in December to inject 1.15 GeV beam (pulse current 200 mA) from the linac.


Excitement was high as the monitor showed the beam making five complete turns, although some remaining problems with the radio-frequency system prevented the beam from being stable.

Spurred on by this success, the BEPC team is working to stabilize

A magnet cell of the new BEPC Beijing Electron-Positron Collider.

the energy of the linac beam, improve the storage ring systems (including realigning all the components), and fully commission the radiofrequency. It is hoped to have stable beams stored by the summer, with electron-positron collisions by the autumn.

The monitor shows the first (as yet unstable) circulating beams in BEPC.




FERMILAB Looking to upgrade

Fermilab is looking to upgrade the Tevatron, already the world's highest energy machine both for fixed target work and for proton-antiproton collisions, the goal being to improve the beams and reach a luminosity of $5 \times 10^{31} \text{ cm}^{-2} \text{ s}^{-1}$. (The luminosity of a colliding beam machine is the number of particles per second circulating in one beam multiplied by the average number of intercepted particles per unit transverse area in the other beam. When multiplied by a specific reaction rate, it gives the average number of events per second for that reaction.)

The initial project to convert the superconducting Tevatron into a collider had a luminosity goal of about 10^{30} . Commissioned for fixed target operation in 1983, the Tevatron's initial 1.6 TeV collision energy events were observed in October 1985 with a luminosity of about 10^{24} . Fermilab Director Leon Lederman described it as 'the world's lowest recorded luminosity'. Since then the figure has climbed five orders of magnitude to 10^{29} . The proposed upgrade goes a factor of 50 above the Tevatron collider's initial goal.

This requires three things – smaller beams (reducing the emittance); going from the present three bunch mode to 'multi-bunch' operation, with about 144 stored bunches; and increasing the number of antiprotons significantly.

Initial steps toward multi-bunch operation have already been made. Studies of helically separated counter-rotating beams are currently in progress, the idea being to install electrostatic separators. The



CRYSTAL BALLS?

XP3462!

The unique answer to crystal ball requirements. Developed for KfK's neutrino experiment, the XP3462 offers a combination of rise time and energy resolution unequalled by other 3" PMTs.

t_r = 3 ns, anode pulse rise time for delta-function light pulse
 R_E = 10% for ^{57}Co and 3" x 3" NaI (Tl) scintillator
 G = 10^6 at 1500 V
 Pulse linearity within 2% up to 100 mA.

Plastic ball photo courtesy of LBL/GSI

We've set the standard for over 20 years

Philips Electronic Components and Materials Division, 5600 MD Eindhoven, The Netherlands. Telex 35000 phtc nl
 In the U.S.A.: Amperex Electronics Corporation, Hicksville NY 11802, (516) 931-6200



Electronic
components
and materials


PHILIPS

High Tech from HEINZINGER

West - Germany

Examples of our products:

Capacitor charging units
Accuracy up to 1×10^{-4}






0-10 kV 0-180 mA

High voltage-system DVM up to 132 kV
Accuracy 1×10^{-4} (PTB-approved)

Special products are our strong point

HEINZINGER
electronic GmbH

Anton-Jakob-Str.4
Postfach 1076
8200 Rosenheim
Tel.: 0 80 31/4 40 40
Telex: 0525 777



High accuracy, high voltage
Power supplies also with
IEC - bus, bidirectional


0-300 kV, 10mA
Stability $1 \times 10^{-5}/8h$
Ripple $1 \times 10^{-5}pp$

Current sources for
supraconductive coils
2-quadrant power
supplies

CERAMIC / METAL SEALS FOR HIGH TECHNOLOGY




QUARTEX

19, rue Poliveau 75005 Paris Tél. (1) 43.31.95.15 Télex 206679 F Téléfax (1) 43.31.82.66



INSTRUMENTATION FEEDTHROUGHS • VACUUM TIGHT FEEDTHROUGHS

QUARTEX TMJ FEEDTHROUGH SERIE



Electrical datas :

Voltage rating : 600 V
Breakdown voltage (20°C) ≥ 2000 V
Current rating : 1A

Environmental temperature range :

Cryogeny to 500°C

Mechanical datas :

Construction : Stainless-steel 304 L Body
Kovar pins (Gold plated)
Ceramic : 97% purity
Helium leak tight $< 10^{-9}$ atm/cm³/S⁻¹
4 types available : 12 - 17 - 27 - 37 pins
Compatible connector : JAEGER miniature serie

A view of Fermilab with the circular Booster area and triangular Antiproton Complex in the foreground, and the Main Ring/Tevatron tunnel on the right.



CERN experience with separated beams in the SPS provides valuable guidance.

A second significant step is the proposed upgrade of the linac, boosting its output from 200 MeV to 400 MeV by equipping roughly half of the machine with higher accelerating gradient structures. The higher injection energy would reduce unwanted space charge effects on the beam emittance.

A third step would be the addition of two new 20 GeV rings. The first (called the Post-Booster) would sit between the existing 8 GeV Booster and the Main Ring, taking 8 GeV protons from the Booster and injecting them into the

Main Ring at 20 GeV with a significantly smaller beam emittance. Studies predict much improved Main Ring performance resulting from the combination of a smaller beam and better magnetic field quality. The second 20 GeV ring (called the Antiproton Depository) would increase the number of antiprotons by about a factor of ten. In this new scenario, the Accumulator would continue in its present role, cooling and stacking antiprotons, then transferring them to the new Depository for cooling and storage while the Accumulator stacked fresh batches. With a suitable number of antiparticles accumulated, they would be accelerated to 20

GeV and transferred to the Main Ring and ultimately to the Tevatron. Also 'used' antiprotons (emittance diluted by interbeam scattering) could be decelerated in the Tevatron and Main Ring and put back into the Depository for later reuse.

Portions of the project could conceivably be funded in the next US financial year.

New tagged hadron beam


E769 is a new Fermilab fixed target experiment studying the production of charmed particles by hadron beams at the Tagged Photon Spectrometer. It is a collaboration of Centro Brasileiro de Pesquisas Fisicas, Fermilab, Northeastern, Toronto, Tufts, Wisconsin and Yale. During the previous fixed target run, the Tagged Photon Spectrometer was host to experiment E691 (photoproduction of charmed particles) which accumulated the world's largest sample of reconstructed charm decays (see November 1986 issue, page 29).

Since then there have been some major additions for the new experiment. The first is the reconfiguration of the beamline leading to the experimental hall. The electron/tagged photon beam has been redesigned to transport instead 250 GeV pions, kaons, and protons to the spectrometer. A new beamline Transition Radiation Detector (TRD) and a Differential Isochronous Self-Focusing Cherenkov Counter (DISC) were a major part of this effort. The DISC is being operated at the upper limit of its useful momentum range to provide a positive tag for charged kaons. Its high quality optics allow the separation of kaons from pions

and protons by discriminating among the angles at which these particles produce Cherenkov light, a difference of only 0.069 milliradians for pions and kaons at 250 GeV. The TRD was specially designed for E769 and uses 24 identical chamber-radiator assemblies, with a stack of 200 polypropylene sheets equally spaced over 50 mm making up each radiator. Transition radiation photons produced by beam particles as they pass through this stack are detected in two thin multiwire chambers filled with xenon. As production and detection of these TR photons is more likely when the beam particle is a pion than when it is a proton or kaon, a large number of detector planes firing provides a positive pion tag.

The second major addition is a new data acquisition system partially composed of Fermilab-developed Advanced Computer Program (ACP) modules. An ACP system is a series of single board microprocessor-based computers with large memories. Originally developed for off-line event analysis (see October 1987 issue, page 22), these modules have now been used by E769 for data acquisition as well, in view of the high statistics needed (over 300 events per second with a total data sample of over 300 million events).

The old CAMAC data acquisition system was read out serially by two CAMAC branch highways and a PDP11. This took about 2 microseconds per word. The experiment replaced the CAMAC branch highways with 7 parallel highways to bins of readout buffers and ACP modules. These highways are read out simultaneously at between 1 and 0.6 microseconds per word. By reading the modules at 0.6 microseconds, E769 gains a factor of




three in readout speed alone and, combined with the parallel branches, a factor of 20 in readout time.

Because each ACP module has 2 Mbytes of memory and with Tevatron spills twenty seconds long, E769 can store events in the ACP

buffers and comfortably write them all to tape. The system can also write data to magnetic tape from the ACP memories directly, without other intervening computers. The experiment is using a 6250 bpi tape drive working at 100 inches per second.

SYNCHROTRON VALVES

- **ROUGHING VALVES**
 - **SECTOR VALVES**
 - **WINDOW VALVES**
 - **SHUTTERS**
 - **BEAM STOPPERS**
 - **FAST CLOSING VALVES**
-
- **Bakeout Jackets**
 - **Control Units**



The VAT valves shown here are all metal valves, bakeable up to 300°/450°C.

**NEW: BROCHURE on
SYNCHROTRON VALVES
available from**

VAT AKTIENGESELLSCHAFT
CH-9469 HAAG (Switzerland)
Tel. (085) 7 01 61
Telex 855 162
Telefax: (085) 7 48 30

THE WORLD'S LEADING MANUFACTURER
OF HIGH VACUUM VALVES

Another major upgrade is in the experiment target region. To track the beam particles, 8 planes of 1 mm wire chambers and 2 planes of silicon microstrips with 25 micron pitch, in conjunction with a target consisting of 26 250-micron foils, will precisely locate the primary interaction.

The experiment has accumulated 300 million events on tape and off-line analysis is underway. An en-

larged collaboration is hoping to extend the studies to include particles containing heavier (beauty) quarks.

Fermilab's Advanced Computer Program equipment in use.

(Photos Fermilab)

GRENOBLE European Synchrotron Radiation Facility agreement


One of the biggest research spin-offs from high energy physics is the intense electromagnetic radiation (synchrotron radiation) from circulating electron beams, now used in an extensive range of studies in physics, materials science, chemistry, biology and medicine.


All over the world, laboratories which made their mark with electron beams have been drawn into this work (Stanford and Cornell in the US, DESY in Germany, Novosibirsk in the USSR, Daresbury in the UK, Orsay in France, Frascati in Italy,), while special electron machines such as those at the US National Synchrotron Radiation Light Source at Brookhaven and the Photon Factory at the Japanese KEK Laboratory have greatly extended the range of beams available.

Major new projects have been put forward in several countries. Europe took a major step forward with the signing on 22 December of an agreement to start construction of a new European Synchrotron Radiation Facility (ESRF) in Grenoble, France.

Government representatives from France, West Germany, Italy, the UK, Spain, Switzerland and the Nordic Countries (Denmark, Finland, Norway, Sweden) voted to start ESRF construction with a budget for this year of 108 million French francs.

To be built alongside Grenoble's existing Institut Laue-Langevin, with a tradition of materials research using neutron beams from





We provide easily built-in safety in Know-how.

Vacuum-impregnated toroidal components (circular in all three dimensions) made of glass fibre/epoxy for

Tokamak FTU insulation for E.N.E.A. Frascati (and Ansaldo)

Part 1: For accelerator ring with 4 straight-through ring electrodes.

Part 2: Coil vee ring manufactured by FW process.

Please request detailed information. Mr H. Mauch will be glad to advise you personally.


We offer a range that is based on 30 years' experience and know how through successful collaboration with field specialists.

Stesalit AG Kunststoffwerk


CH - 4234 Zullwill SO Telefax 061/80 06 04
Telephone 061/80 06 01 Telex 963 182




GRATINGS · STAIRCASES
GITTERROSTE · INDUSTRIETREPPEN
CAILLEBOTIS · ESCALIERS





Type S



Type SF




Type SPS



Ing. Herbert Panne
GmbH u. Co. KG
D-6349 Greifenstein 2
West Germany

SCINTILLATORS



We have the expertise and the know-how for high-quality plastic scintillators.

High light output, excellent transmission and fast speed are the main features of our plastic scintillators. We manufacture all sizes to customers specifications. Rods, sheets, blocks and light guides with polished or coated surfaces will be manufactured within close tolerances.

Lithium-glass-scintillators are available in special shapes and sizes from powders for HPLC and flow cells, discs for neutron measurements etc. Various types from low background to very high efficiency are available.

**ZINSSER
ANALYTIC**

(UK) Ltd.
Howarth Road, Stafferton Way, Maidenhead, Berks. SL6 1AP
Telephone 06 28/2 45 70 · Telex 849 462

M & K

Now available – PROCEEDINGS of the

1987 PARTICLE ACCELERATOR CONFERENCE

Contains 638 papers in three volumes of over 2000 pages, providing a wealth of information on particle accelerators and activity in this field, serving high energy physics, nuclear physics, and numerous applications.

The papers cover topics of current interest and urgency, including the forefront accelerators coming on line, the new construction projects, the proposals for the next generation of very large facilities, highlights of accelerator technology, particle beam physics, radiation sources, free electron lasers, colliders, and novel methods.

The conference, the 12th in the biennial PAC series, was organized by the IEEE Nuclear and Plasma Sciences Society and was also an APS Topical Conference. The Conference attracted a record attendance of over 1000 participants from all over the world.

Ordering information as follows:

Proceedings of 1987 IEEE Particle Accelerator Conference, IEEE Catalog No. 1187CH2387-9
Cost: \$ 70 + s/h (for IEEE Members) • \$ 140 + s/h (for non-Members) • S/h cost (4th class book rate) • \$ 5 for order totaling under \$ 75 • \$ 8 for order totaling \$ 100-\$ 200 • \$ 15 for order totaling over \$ 200

For other shipment mode contact IEEE,
tel 201-562-5427, for s/h cost

Send order (check payable to IEEE) to:
IEEE Service Center, 445 Hoes Lane
Piscataway, NJ 08855-1331, USA

HIGH ENERGY PHYSICS SALES/MARKETING

NE Technology Limited is a world leader in the development and manufacture of nuclear radiation detectors and systems for medical and high energy physics applications.

To enable us to maintain our leading position in this field, we are seeking a **PRODUCT SPECIALIST – SCINTILLATORS AND DETECTORS**, based in Scotland, to promote our Sales and Marketing effort in high energy laboratories and OEM's. The successful candidate will report to the Sales and Marketing Manager and will be involved in the development of sales strategies, market research and customer liaison in an international market.

Applicants, qualified to degree or equivalent level, should have worked in a high energy physics laboratory and will have a working understanding of organic chemistry preferably focusing on scintillator theory and application. Sales/Marketing experience is not essential as training will be given to an Engineer/Physicist who is seeking a career opportunity in this field.

This position offers a competitive salary plus an attractive benefits package which includes a company car and relocation assistance.

Please send full C.V. in the first instance to:

G.R. Leal, Esq., Personnel Manager,
NE Technology Limited, Bath Road, Beenham,
Reading, Berkshire. RG7 5PR England


NE•TECHNOLOGY



MEASURING UP TO THE FUTURE

PI Physik
Instrumente

Stepping Motor Controls with IEC-Bus or RS-232



High performance controls for 5-phase stepping motors with a resolution of 1000 steps/revolution.


- Manual or computer control
- Motor controller with convenient control set
- 3 C-500 output controls connectable to the controller
- Absolute and relative positioning
- Programmable running frequency and accelerator ramping
- Compatible with PCs via IEC-Bus or serial interface
- User-friendly software for IBM PCs

POLYSCIENCE AG

Bleichstrasse 8
CH - 6300 ZUG
Tel. 042/22 15 33

HYDRAULIC PUMPS

**GAS BOOSTERS • AIR AMPLIFIERS
POWER PACS • TEST STANDS**



for numerous applications of high and very high pressures up to 14 000 bar
Send for more information stating your requirements!

AMMANN-TECHNIK AG CH-5742 KÖLLIKEN

P.O. Box 80
Telex 982177

Tel. 64 43 49 39
Fax 64 43 88 43

Manufacturers of equipment to produce, control and store high pressure oil (+ many other fluids) and gas

its high flux reactor, the ESRF will be based on an 850 metre storage ring to work at 6 GeV (mainly X-rays), fed by a 300 metre booster ring taking particles from the linear injector. A ring-shaped experimental hall will accommodate beamlines up to 75 metres long. To improve performance, positron operation is envisaged. A 200 MeV electron preinjector is one of the first items on the shopping list.

Construction will last six and a half years, with first experiments (7 beamlines) scheduled for 1994. Subsequently, the number of beamlines will be increased to 30. Total costs over eleven years are estimated at 3.6 billion French francs, with 2.6 billion earmarked for construction.

Model of the proposed European Synchrotron Radiation Facility to be built at Grenoble. The ring-shaped experimental hall in the foreground houses the beams from the 850 metre storage ring. In the background are the buildings of the existing Institut Laue-Langevin, a multinational laboratory equipped with a high flux reactor for research with neutron beams.

BERKELEY

Another narrow peak

Several years ago, heavy ion experiments at the UNILAC machine at Darmstadt (GSI) reported unexplained narrow peaks in electron-positron spectra, corresponding to the decay of several neutral states in the range 1.6 – 1.9 MeV (see April 1986 issue, page 22).

Subsequently, another GSI experiment found a positron signal corresponding to a 1.5 MeV neutral particle, but searches in other environments found nothing, and theorists admitted to being baffled (see July/August 1987 issue, page 8). However neutral particles decaying into electron-positron pairs might also decay into photons.

Now a group working at the Berkeley Superhilac has looked carefully at the photons produced when 6 MeV/nucleon beams of uranium hit thorium targets and found pairs of back-to-back photons consistent

with the decay of a neutral state just above 1 MeV (1062 keV). Although the region covered extended up to 2 MeV, no other candidates emerged.


Whatever the explanation for the new states, it now has to cope with a complex structure.

SUPERCOLLIDER

And then there were seven.....

The 43 suggested sites from 25 states for the proposed 84 kilometre US Superconducting Supercollider (SSC, see November 1987 issue, page 17) have been whittled down to seven.

The sites – in Texas, Illinois, North Carolina, Tennessee, Arizona, Michigan and Colorado – were selected by a joint committee of the US National Academy of Sciences and the National Academy of Engineering and confirmed



41, rue de Villiers, 92200 Neuilly-sur Seine, Tél. (1) 47.58.11.62

AUBERT & DUVAL

aciérie des ancizes



aciers spéciaux
et
super alliages
pour techniques avancées

DC -Power

GOTELE: Best quality for the right price.



A wide power range from
80 to 6000 Watt
High Precision Power Supplies
Electronic Loads from
60 Watt to 8000 Watt


A world of programmable
power supplies for
Laboratory and Systems
Applications, from
THORN EMI Technology,
Made in Germany.

Elektronik für Industrie und Wissenschaft

GOTELE

Bahnhofstr. 76, 8500 Frauenfeld, Tel. 054 21 95 51


WE ARE GROWING!



Analytek Ltd.

Introducing

some new additions
to our family of
multi-channel
data acquisition
integrated circuits



AN301M Microplex™—a convenient
new 48 channel charge sensitive analog memory with pedestal
storage for each channel, mounted in a standard 121 pin PGA.
Available in cavity up or cavity down configurations, with heat sink
options. It features 200 fC full scale sensitivity, and 500/1 S/N ratio.

AN201C* offers 32 channels of
voltage sampling analog memory with 4 storage cells per input.
Take your choice between a 64 pin DIP package or 68 pin leadless
chip carrier. The AN201C has a bandwidth of 30MHz and a 4000/1
dynamic range, with 0-3V full scale sensitivity.

We would also be pleased to
serve your board level or custom hybrid requirements.

ANALYTEK, LTD.
845 Oak Grove Ave., Suite 100
Menlo Park, CA 94025
Telephone: (415) 323-2248
Telex: 330007

*Exclusively licensed products with U.S. and foreign patents.

SEEM POWER

POWER SUPPLIES



- ☐ Laboratory Supplies, 0-32 (64) V, 100 (50) A
- ☐ Battery Chargers 12-24-48 V, 600 W or larger
- ☐ Switch-mode AC/DC, DC/DC, DC/AC Converters
- ☐ Custom built Power Supplies for Industrial and Military Applications.

SEEM POWER A.S.
P.O.Box 14
1344 Haslum, Norway

Tel.: +47 2 53 39 75
Fax: +47 2 53 10 46
Telex: 19 121 seem n

The seven possible sites selected for the proposed US Superconducting Supercollider – SSC.



by the US Department of Energy (DOE). An eighth site, in New York, had been selected by the committee but was withdrawn after local opposition. Before making a further selection in July, DOE officials will visit each site.

The unranked list of best-qualified sites resulted from applying technical requirements and factors known from experience with large Laboratories as promoting scientific productivity.

Meanwhile the SSC seeks large-scale funding, and the President is expected to seek \$363 million for fiscal 1989 to allow construction to get underway. This year DOE got \$25 million for ongoing preparatory work, but an additional \$10 million for initial construction work was not approved.

The sites selected are Maricopa, southwest of Phoenix, Arizona; northeast of Denver, Colorado; Fer-

milab, Illinois; Stockbridge, south central Michigan; near Durham and Raleigh, North Carolina; southeast of Nashville, Tennessee; and south of Dallas, Texas.

DESY HERA progress


Following successful injection of beam into the first section of the electron ring of the HERA electron-proton collider being built at the German DESY Laboratory in Hamburg (see January/February issue, page 15), about half the required 420 magnet modules for HERA's electron ring have been mounted in the 6.3 kilometre tunnel. The ring is scheduled for testing this year.

Two experiments are being prepared for HERA – Zeus for the

South Hall and H1 for the North Hall. Two more halls – East and West – are also being readied. From the latter liquid helium, power and cooling water will be distributed to the ring, while the East Hall will house equipment to measure the electron beam polarization. Spin rotator magnets in the nearby straight sections will switch the direction of the electron spins. Once the techniques have been mastered, spin rotators will be installed for Zeus and H1 to permit experiments using polarized beams.

Meanwhile preparations for HERA's superconducting proton ring push ahead, with first industrial deliveries of the quadrupole magnets (developed at Saclay) and testing of liquid helium transfer lines.

The Zeus and H1 groups are busy perfecting components for their big detectors. CERN beams



are used in many tests, including several modules for the Zeus calorimeter from York University, Canada, using depleted uranium and plastic scintillator, and H1's prototype liquid argon calorimeter (Dortmund and Max Planck Institute, Munich).

▲ Parts of the HERA electron-proton collider being built at the German DESY Laboratory in Hamburg are beginning to look like the real thing. Superconducting magnets for the proton ring are seen here test mounted above the magnets of the electron ring.

▼ First industrial delivery of a HERA superconducting quadrupole of Saclay design.



CERN LAA for new detectors

The LAA project under Antonino Zichichi formally set up last year at CERN (see September 1987 issue, page 11) is an intensive programme to develop new experimental techniques. Its ultimate aim is working prototypes of detector components for a future multi-TeV (1 TeV = 1000 GeV) hadron collider.

To search for rare phenomena at any new hadron collider lots of collisions will be needed. However if the 'missing energy' technique (energy imbalance around the collision point) is to be used to pick up signs of otherwise invisible particles such as neutrinos, only one collision should occur each time the particle bunches cross inside the rings of the collider (most of the particles in the stored bunches simply whizz past each other without interacting). This means that the bunches in the collider have to be less than 100 nanoseconds apart, with implications for detector read-out systems. Another vital point is radiation resistance – the detector components have to be able to withstand the hostile environments in the beams for up to years at a stretch.

The LAA effort is divided into nine specialized areas – high precision tracking, calorimetry, large area devices, leading particle detection, special applications of integrated circuits, data acquisition and analysis, supercomputers and simulation studies, high magnetic fields, and high temperature superconductivity.

To track the particles emerging from the collision region, three so-



AG für moderne
Technologie

YOUR PARTNER FOR VACUUM VALVES

We manufacture and supply a large range of vacuum valves and special components for

- *chemical*
- *medical*
- *nuclear*
- *metallurgical*
- *process engineering*
- *cryogenic*
- *vacuum*
- *scientific research*


and other applications.

We are not the oldest and not the largest company in the field of component-manufacturers, but we create modern technology in connection with highest quality and reliable function during a long service-life.

WE TRY HARDER.

Call us for more information.

CH-9468 SAX (Schweiz) Postfach 41
Tel. 085-75070, Telefax 085-75086
Telex 855194 cetec ch



Valves for ultra-high purity gases

Take advantage of our experience and know-how in the construction and manufacture of valves for ultra-high purity gases.

All components are super-fine machined and electropolished (interior surface roughness better than 0,2 microns). Completely degreased and assembled under clean room conditions.



Alfred Bättig AG
CH-8400 Winterthur/Switzerland

Phone:
052/25 27 69

Telex:
896 371 valv ch

Telefax:
052/25 02 24

LB Landolt-Börnstein

Numerical Data and Functional Relationships
in Science and Technology

Editors in Chief: K.-H. Hellwege · O. Madelung

Comprehensive Index

New

for 6th Edition 1950-1980 and New Series 1961-1985

Editor: K.-H. Hellwege

A general index for Landolt-Börnstein has long been a desideratum. Orientation within an individual volume is not too difficult due to the clear organization and a detailed table of contents in each volume. The growing number of volumes, however, and their increasing specialization have often made it problematical to find the required data. In this respect the *Comprehensive Index* will be a help to the user of the work.

The index covers all volumes of the 6th Edition and the volumes of the New Series available by the end of 1985, a total of 126 volumes with more than 74.000 pages and 56.000 figures, published during the last 35 years: thus a product of a whole scientific generation.

During the long period of scientific progress covered by Landolt-Börnstein, the development of some fields has led to radical shifts of emphasis and changes in the models used and the nomenclature. Also new areas of research and application have cropped up, others are no longer of major interest. Consequently some changes in the logical structure of the work were inevitable, and these are reflected in the *Comprehensive Index*.

Since – with only rare exceptions – the 6th Edition has been published in German, the New Series in English, keywords in both languages had to be used, and the index consists of two separate parts in alphabetical order.

The index has been prepared by members of the Fachinformationszentrum Energie – Physik – Mathematik (FIZ Karlsruhe) and the Landolt-Börnstein Editorial Office, Darmstadt.

1987. Approx. 300 pages. Hard cover DM 600,-
ISBN 3-540-16675-0

Please order through your bookseller or write to:

Springer-Verlag Berlin Heidelberg New York
London Paris Tokyo

4005-Marketing

Heidelberger Platz 3 · D-1000 Berlin 33

Springer



ADVANCED LIGHT SOURCE OPENINGS

Lawrence Berkeley Laboratory, University of California

OPTICAL SYSTEMS LEAD SCIENTIST Staff Scientist 3 (A/4522)

Duties: The incumbent will be responsible for the design of x-ray and vacuum-ultraviolet optical systems for synchrotron radiation beamlines. Will report to the Project Deputy Director for Experimental Systems of the Advanced Light Source, a state-of-the-art national facility for scientific research at the Lawrence Berkeley Laboratory. Becoming familiar with the specialized needs of the scientific teams at each beamline, the incumbent will develop beamline design strategies for each. The overall systems will include monochromators, relay optics water-cooled components, condensing mirrors, polarization and harmonic control mechanisms, wavelength-tuning and spectral-resolution control mechanisms, and detection systems. Ray tracing will be an important tool for these activities. The optical systems must satisfy challenging fabrication tolerances and withstand demanding photon beam power loadings. The advanced instrumentation required includes glancing-incidence mirror assemblies, high-resolution grating and crystal monochromators and beam position and intensity sensors.

Requirements: The successful candidate will have considerable experience and a strong record of published original work in the design of x-ray or vacuum-ultraviolet optical systems. Candidates with a background in instrumentation for synchrotron radiation research are encouraged to apply. A Ph.D in a relevant field is preferred.

OPTICAL SYSTEMS SPECIALIST Staff Scientist 2 (A/4525)

Duties: The incumbent will participate in the design, implementation, and commissioning of optical systems for one or more synchrotron radiation beamlines of the Advanced Light Source, a state-of-the-art national facility for scientific research at the Lawrence Berkeley Laboratory. The design process will involve consultations with the intended user groups, development of optimized optical schemes by analytical methods, and evaluation of the schemes by computer modeling procedures, including exact geometrical ray tracing. The optical systems are for the vacuum-ultraviolet and soft x-ray regions of the spectrum, involve both relay and spectroscopic technologies, and must satisfy challenging fabrication tolerances and withstand demanding photon beam power loadings. The advanced instrumentation required includes glancing-incidence mirror assemblies, high-resolution grating and crystal monochromators, and beam position and intensity sensors.

Requirements: The successful candidate will have working experience and a record of published original work in the design of optical systems, either for synchrotron radiation or for applications in other parts of the electromagnetic spectrum. Applications from graduates of universities that specialize in optics are particularly welcome. Expertise in vacuum-ultraviolet or soft x-ray systems is available in the existing group to complement those who do not have it. A Ph.D. in a relevant field is preferred.

OPTICAL SYSTEMS STABILITY SPECIALIST Staff Scientist 3 (A/4523)

Duties: The incumbent will be responsible for assuring the stability of the overall optical system of the Advanced Light Source, a state-of-the-art national facility for scientific

research at the Lawrence Berkeley Laboratory. Involving instrumentation for the control of near-diffraction-limited radiation to very short wavelengths in the vacuum-ultraviolet and x-ray regions of the spectrum. The work will require a stability analysis for the overall system and the development of such photon detection interface, feedback, and control systems as may be necessary to provide optical systems with stable aiming, focusing, and positioning controls. The advanced beamlines will include glancing-incidence mirror assemblies, high-resolution grating and crystal monochromators, and beam position and intensity sensors. The above tasks will require close collaboration with accelerator physics and instrumentation teams on the development of complementary electron-beam diagnostic and control systems.

Requirements: The successful candidate will have substantial experience and a strong record of published original work in the design and implementation of optical stabilization systems. Expertise in the geometrical stability of large optical systems would be a plus. The candidate must have working experience at visible wavelengths and may rely on colleagues at the Advanced Light Source for complementary expertise at vacuum-ultraviolet and x-ray wavelengths. Applications from graduates of universities that specialize in optics are particularly welcome, although candidates with a background in instrumentation for synchrotron radiation research are also encouraged to apply. A Ph.D in a relevant field is preferred.

OPTICAL COMPONENTS METROLOGY Staff Scientist 2 (A/4524)

Duties: The incumbent will be responsible for the metrology of optical components of the Advanced Light Source, a state-of-the-art synchrotron radiation facility. In addition to studies of surface finish, assessments of optical surface figure, and measurements of reflecting optics (particularly mirrors and gratings), the incumbent will conduct R&D in new areas of optical component fabrication, such as electroforming. The incumbent may also be responsible for the implementation of one or more beamlines. The beamline optical systems, which involve both relay and spectroscopic technologies, must satisfy challenging fabrication tolerances and withstand demanding photon beam power loadings. The state-of-the-art instrumentation required includes glancing-incidence mirror assemblies and high-resolution grating and crystal monochromators.

Requirements: The successful candidate will have demonstrated experience and a strong record of published original work in the design of optical systems and in optical metrology. Although the Advanced Light Source will generate vacuum-ultraviolet, soft x-ray, and hard x-ray synchrotron radiation, the candidate may have experience at either visible or at the shorter wavelengths. It is expected that optical measurements will primarily be done in the visible even for ultraviolet and x-ray optics, and, if required, colleagues at the Advanced Light Source may provide complementary short-wavelength expertise. Applications from graduates of universities that specialize in optics are particularly welcome, although candidates with a background in instrumentation for synchrotron radiation research are also encouraged to apply. A Ph.D in a relevant field is preferred.

Please send resume to: **LBL Employment Office, #1 Cyclotron Road, 90-1012, Berkeley, CA 94720.** An equal opportunity employer.



LAWRENCE
BERKELEY
LABORATORY

lutions are being studied. The UA2 detector at CERN's proton-antiproton collider has developed a scintillating fibre tracker to follow the particles emerging from the collision point (see June 1987 issue, page 9). For LAA, tracking by scintillating fibres in a high magnetic field is being looked at by Heinrich Leutz at CERN. The other potential techniques are the compact units using the multidrift tubes of Fabio Sauli's group at CERN (see November 1987 issue, page 4) and semiconductor (gallium arsenide) microstrips and associated electronics (Carlo del Papa at Bologna – see also May 1986 issue, page 5).

For calorimetry, the two avenues being explored are Georges Charpak's barium fluoride scintillator at CERN (see May 1984 issue, page 141), and scintillating fibres embedded in lead to provide equal response for electromagnetic and hadronic energy (R. Wigmans, CERN).

Detectors for future hadron colliders will be big, and the outer layers, for muon work, will cover large areas. The associated production problems are being tackled by Giancarlo Susinno of Cosenza (Italy) at CERN. Alignment and calibration of large drift chambers for muons is the concern of Ulrich Becker of MIT.

The 'leading effect' – the study of particles produced in the forward direction – was enthusiastically followed by Antonino Zichichi's groups at CERN's Intersecting Storage Rings, closed in 1984. According to Zichichi, this type of particle production has not been sufficiently emphasized, and could go on to play an important role at higher energy colliders. T. Massam of Bologna is investigating the implications, at CERN.

Semiconductor detectors have already made their particle physics debut (see May 1986 issue, page 3). For ongoing work, Erik Heinje at CERN is working on the required microelectronics, in collaboration with European microelectronics centres.

Data handling with such high performance machines is a special challenge, being investigated for LAA by Rudy Bock of CERN. Data processing. A close watch is being kept on developments in industry.

T.D. Lee of Columbia leads an effort to develop a supercomputer based on the Intel 80286 microprocessor and able to take care of big quark/gluon field theory calculations on lattices. In addition, programs will be written for specific physics predictions, particularly the production of particles containing heavy quarks.

To reduce the size of the detectors at big hadron colliders, powerful magnets could minimize tracking volumes. Using present technology, such a detector would need 30 metres along the beam direction,


with a total weight of 30,000 tonnes. Rather than attempt to develop the technology in a physics laboratory, the job has been given to Italian industrial specialists Ansaldo. Increasing the tracking field also has implications for tracking precision.

Finally, the Italian firm LMI has been commissioned to look into the implications of the new high temperature superconductors for detectors and for magnets.

With ambitious new hadron collider schemes being proposed in Europe, the US and the USSR, the detector problems of these new frontiers are continually being highlighted. The LAA scheme provides a useful focus for this work, and already involves specialists from Europe, the US, the USSR and China.

Tracking using the compact multidrift tube modules being developed at CERN by Fabio Sauli's group is one of the projects in the LAA detector development programme at CERN.

(Photo CERN 476.12.85)





The OPAL Experiment at LEP RESEARCH ASSOCIATES

The High Energy Experimental Physics group at Carleton University invites applications for Research Associate positions with the OPAL project. OPAL is a multi-purpose detector for the electron-positron collider LEP at CERN which will begin operating in 1989.

Our responsibilities in OPAL are focused on a high-resolution vertex drift chamber and a cylindrical barrel of z-measurement drift chambers, components of the central track detector system. In addition, we are involved in the software development for Monte Carlo studies and for physics analysis of data.

Please send applications by April 30, 1988 with curriculum vitae and the names and addresses of three referees to:

Dr. R. J. Hemingway
Department of Physics
Carleton University
Ottawa, Ontario
K1S 5B6, CANADA

In accordance with Canadian immigration requirements, this advertisement is directed to Canadian citizens and permanent residents.

National Laboratory
for High Energy Physics (KEK)
Tsukuba, Japan

Research Positions at KEK in experimental high energy physics and accelerators for non-Japanese citizens

We have several research positions in the rank of Assistant (i.e. Research Associate) available after April 1988. Appointments are made for 2 years, with possible extensions of up to 3 years depending on the case.

KEK is currently conducting experiments at the TRISTAN e^+e^- collider and has started constructing superconducting RF cavities to further upgrade the energy. Successful candidates in the physics field are expected to join AMY or TOPAZ collaboration. Those in the accelerator field will have an opportunity to participate in the work with TRISTAN and for a future collider.

The salary of regular staff members of KEK is determined according to the rank and the number of years of practical experience after undergraduate study. The laboratory will respond to an individual inquiry on the salary scale.

Application should include personal and employment history, past and present research interests, and two letters of recommendation, and should be sent by the end of April 1988 to:

Prof. T. Nishikawa
Director-General
National Laboratory
for High Energy Physics (KEK)
1-1 Oho, Tsukuba-shi
Ibaraki-ken, 305 Japan

PHYSICS DEPARTMENT OF STANFORD UNIVERSITY

announces an opening for the position of

PROFESSOR

in Theoretical Particle Physics and Quantum Field Theory

The Physics Department of Stanford University has an opening for a tenured faculty position in theoretical particle physics and quantum field theory.

The applicants must have demonstrated ability to do significant independent work and must show promise of making a major impact on the field in the years to come. Excellence in the teaching of physics at both the undergraduate and graduate levels is an important requirement for the position.

Stanford University is an equal opportunity employer. We are specially interested in having applications from women and minority persons.

Interested persons are requested to send a resume containing curriculum vitae, a list of publications and names of at least three references to

Professor Leonard Susskind
Chairman, Theoretical Physics
Appointment Committee
Department of Physics
Stanford University
Stanford, California 94305 - 4060
USA

Those wishing to draw the committee's attention to potential candidates are invited to write to the same address.

HÔTE & HÔTESSE TUNON

un métier différent,
différents métiers

*Tourisme
Hôtellerie
Relations publiques
Salons internationaux*

- Stages pratiques durant la scolarité
- près de 100 employeurs de stages en références
- Aide au placement
- Initiation à l'informatique
- transfert entre nos 23 écoles



A GENÈVE 1967-1988

**ECOLE INTERNATIONALE
TUNON**

GRUPE FONDE EN 1964
ENSEIGNEMENT PRIVE

2, rue Vallin 1201 Genève Tél.(022) 32.83.20

CERN Looking at beauty

The production of particles containing heavy quarks such as charm or beauty is a good way of studying quark dynamics, in particular for testing quantum chromodynamics (QCD), the candidate field theory of interactions between quarks and the gluons carrying the inter-quark forces.


The production rate of particles with charm produced in proton-proton collisions measured at CERN's Intersecting Storage Rings (ISR, closed in 1984) was puzzlingly higher than expected from the simplest theoretical predictions. In addition, the Italian/CERN collaboration working at the Split Field Magnet provided evidence for baryons carrying beauty, produced moreover in the forward direction (the 'leading effect').

Because the beauty quark is considerably heavier than the charm quark, theorists expect QCD predictions for beauty production to be more reliable.

First evidence for the production of beauty particles (B mesons) in a fixed target experiment came from an emulsion study at CERN in 1985 (see July/August 1985 issue, page 238). More recently, additional information on the production of B mesons in fixed target experiments has come from the NA10 study of muon pairs produced by high intensity beams, and from WA78 using the muon spectrometer of the 1985 emulsion experiment together with a specially designed target calorimeter.

Different conditions are found in high energy proton-antiproton annihilation, where the big UA1 experiment gives interesting insights by

Predictions from quantum chromodynamics (QCD) by Ed Berger for beauty quark production in proton-antiproton collisions at CERN (630 GeV), showing the result from the UA1 experiment, and Fermilab (2000 GeV).



DATA ACQUISITION SCIENTIST

Located in Newport News, Virginia, CEBAF will be a 4 GeV high-intensity continuous wave electron accelerator utilizing superconducting RF technology. Its scientific goal is to study the structure of the nuclear many-body system, its quark substructure and the strong and electroweak interactions governing the behavior of this fundamental form of matter.

The experimental equipment, which includes high resolution and large acceptance magnetic spectrometers, requires state-of-the-art data acquisition systems capable of selecting and analyzing complex events at high data rates. CEBAF is seeking a highly qualified candidate to lead the group responsible for this endeavor. The successful candidate should have an advanced degree in Physics or Electrical Engineering, several years of experience in the development of scientific data acquisition systems and preferably have management experience. A thorough knowledge of electronics and scientific instrumentation is essential.

Applicants should submit a curriculum vitae and three professional references to: Employment Manager, CEBAF, 12000 Jefferson Avenue, Newport News, VA 23606.

CEBAF

The Continuous Electron Beam Accelerator Facility

An Equal Opportunity Employer, m/f/h/v

Post Doctoral Experimental Physicist

A position as an assistant at the Institute for Intermediate Energy Physics at ETH-Zürich is available. The work will include teaching of exercise or laboratory courses at ETH and research at CERN (CP-LEAR experiment).

The appointment is initially given for one year and may be extended up to six years.

Applicants should send a curriculum vitae with three names of referees to:

Prof. H.-J. GERBER
Institute for Intermediate Energy
Physics, ETH
CH-5234 VILLIGEN

Lawrence Berkeley Laboratory - Advanced Light Source

Project Deputy Director Of Experimental Systems

Reporting to the Project Director of the Advanced Light Source, the Project Deputy Director of Experimental Systems, bears primary scientific/technical responsibility for the design and specification for the initial complement of insertion devices, photon systems and associated components for the Advanced Light Source and planning for future insertion devices and photon systems for the facility. The incumbent will ensure that the physics design criteria are properly translated into engineering designs and components. Will direct appropriate R&D activities associated with experimental facilities, ensure that R&D objectives are defined and accomplished and develop plans for operational modes of the experimental program. Will recruit, develop and manage scientific and technical personnel and organize the staff required for support and operations of the experimental facilities. Will plan, develop and manage a modest size in-house research and development group. Will organize and participate in scientific and technical reviews, workshops and seminars. The successful candidate must have a proven record of substantial managerial responsibility and excellent scientific and technical judgement. Must have demonstrated success in the recruitment, development and management of scientific/technical personnel within a project environment. Must have ability to translate user requirements into specifications and design criteria for experimental facilities and must be able to effectively interact with potential users. Knowledge of the technology of insertion devices and optical systems as applied to the generation and exploitation of synchrotron radiation, as well as an understanding of the environment in which user-based synchrotron radiation research is carried out (equivalent experience at other user-based facilities may be appropriate) are desirable. Prefer a Ph.D. in the physical sciences, engineering or other related fields. To apply send two copies of resume to: **Lawrence Berkeley Laboratory, #1 Cyclotron Rd, Employment Office 90-1042, Berkeley, CA 94720. Refer to Job #A/4432. An Equal Opportunity Employer M/F/H.**



LAWRENCE
BERKELEY
LABORATORY

Research Positions In Relativistic Heavy Ion Physics at Brookhaven National Laboratory

The Physics Department invites applications for a number of scientific positions in the Heavy Ion Research Group at Brookhaven National Laboratory. The group is engaged in heavy ion experiments at the Alternating Gradient Synchrotron with 15 GeV/nucleon beams and is actively planning for experiments at higher energies at the proposed Relativistic Heavy Ion Collider facility (RHIC).


The positions are to be at several levels, ranging from postdoctoral research associate to senior scientist. Candidates must have a doctoral degree, preferably in experimental nuclear or high energy physics. For the more senior positions, a proven research record in medium energy nuclear physics, high energy heavy ion physics, or high energy particle physics is required.

Applications should be sent to Dr. P.D. Bond, Chairman, Physics Department, Brookhaven National Laboratory, Associated Universities, Inc., Upton, LI, New York 11973. Inquiries can be made to P.D. Bond (516) 282-4063 or O. Hansen (516) 282-4581. An Equal Opportunity Employer m/f.



BROOKHAVEN
NATIONAL LABORATORY
ASSOCIATED UNIVERSITIES INC.

Berger's calculations for beauty production from high energy negative pion beams on a heavy target, showing the result reported by the WA78 experiment at CERN.



selecting events containing a muon and one or more narrow jets of hadrons. The observed level of single muons shows that additional quark/gluon mechanisms following the initial particle-antiparticle annihilation are important and have to be included in the calculations.

Once this is done, the observed spectra involving the fourth (charm) and fifth (beauty) quarks tie in well with QCD-based calculations, and show that the sixth ('top') quark has yet to put in an appearance at these collision energies (630 GeV). The production levels of B mesons

measured by the WA78 study also tie in with QCD predictions.

The inclusion of additional quark-gluon mechanisms also helps to explain the high production rates of heavy quarks at the ISR, although their liking for the forward direction remains a puzzle. At the proton-antiproton collider, the observed particles emerge broadside to the beams.

The production of leading particles is earmarked for further study and detector development work in the context of the LAA project (see page 16).

With the indications of neutral B meson mixing from UA1 and from the ARGUS experiment at the German DESY Laboratory, interest is now focusing on the additional possibilities opened up by B meson physics (see, for example, January/February issue, page 5).

DETECTORS

Fast calorimetry with barium fluoride

To study rare processes, many of today's high energy and nuclear physics experiments require extremely high beam intensities. This will be important at future hadron colliders, such as the Superconducting Supercollider (SSC) proposed in the US and the Large Hadron Collider (LHC) in Europe.

To operate at these high rates, a detector must respond very quickly and withstand high levels of radiation. Barium fluoride is a scintillating crystal emitting ultra-violet light with a decay time of less than one nanosecond. In addition, the pure substance is the most radiation resistant scintillator known, showing



DESY, das Deutsche Elektronen-Synchrotron, ist ein Forschungszentrum in Hamburg. Seine wichtigsten Arbeitsgebiete sind die Grundlagenforschung in der Elementarteilchenphysik, Forschungsarbeiten mit der Synchrotronstrahlung am Hamburger-Synchrotron-Strahlungslaboratorium HASYLAB und die Entwicklung und der Bau neuer Beschleuniger-Anlagen.

DESY hat zur Zeit etwa 1350 Mitarbeiter.

Die Forschungsarbeiten bei DESY werden in internationaler Zusammenarbeit durchgeführt, wobei Wissenschaftler von vielen deutschen und ausländischen (18 Länder) Universitäts- und Forschungsinstituten daran beteiligt sind.

Seit 1984 baut DESY in Zusammenarbeit mit mehreren ausländischen Ländern eine neuartige Speicherring-Anlage zum Studium von Elektron-Proton-Stößen bei sehr hohen Energien, HERA. Die neue Anlage soll ab 1990 für Forschungsarbeiten zur Verfügung stehen, mit Hilfe von zwei großen Nachweis-Apparaturen, die ebenfalls in internationaler Zusammenarbeit aufgebaut werden.

Im Rahmen des Nachwuchs-Programmes der Arbeitsgemeinschaften der Großforschungseinrichtungen stellt DESY

promovierte Hochschulabsolventen der Fachrichtungen Physik, Informatik und Ingenieurwissenschaften

ein. Sie sollen Gelegenheit erhalten, sich durch Mitarbeit auf einem der folgenden Gebiete weiter zu qualifizieren:

- Entwicklung und Bau von Teilchen-Detektoren, insbesondere für die HERA-Experimente
- Datenverarbeitung - Hardware und Software
- Beschleuniger-Physik, insbesondere Entwurf und Bau von Komponenten für die HERA-Speicherringe
- neue Beschleuniger-Technologien, z.B. Entwicklung von supraleitenden Resonatoren, supraleitenden Magneten hoher Feldstärke
- Experimente mit der Synchrotronstrahlung

Die Anstellung ist befristet auf drei Jahre. Die Vergütung erfolgt nach Vergütungsgruppe III/Ia MTV Angestellte. Das Höchstalter von 32 Jahren sollte nicht überschritten werden.

Schriftliche Bewerbungen mit den üblichen Unterlagen und Angaben von Referenzen erbitten wir an unsere Personalabteilung.

Deutsches Elektronen-Synchrotron DESY
Notkestraße 85, 2000 Hamburg - 52
Telefon: 040/8998-3628

**THE PHYSICS DEPARTMENT
AND
THE INSTITUTE FOR NUCLEAR AND PARTICLE PHYSICS**

THE UNIVERSITY OF VIRGINIA

Faculty positions in

HIGH ENERGY EXPERIMENTAL PHYSICS


Applications are invited for a new program in high energy experimental physics. In the anticipation of the formation of a new group, we invite applicants for tenure, tenure-track, and research positions. Senior applicants are expected to lead a vigorous program of research.

These positions will be in both the Physics Department and the Institute for Nuclear and Particle Physics, or could be shared between the two administrative entities. Salary, level of position, start-up funds, and other support will be commensurate with the demonstrated accomplishments and experience of the applicant.

Please send resume, statement of research interests, and references to:

**The Chairman
Physics Department
University of Virginia
Charlottesville, Va. 22901**

*The University of Virginia is an equal opportunity,
affirmative action employer*



Experimental Physicist

A position is available for an experimental physicist at the Paul Scherrer Institute (formerly SIN, Swiss Institute for Nuclear Research).

PSI operates a 600 MeV isochronous cyclotron which is used to produce a number of meson beams. The position is initially available for three years.


The successful candidate will be expected to participate in the construction and operation of a new large solid angle detector (LADS) for the study of pion-nucleus interactions.

Additional information can be obtained from: Dr. Q. Ingram (tel. 056/99 32 58).

Applications, containing curriculum vitae, list of publications and references, should be sent as soon as possible, but not later than April 15th, 1988 to

**PSI
Paul Scherrer Institute
Personnel Division
CH-5234 Villigen/Switzerland
Code 666**

Barium fluoride crystals for a photon detector at Brookhaven. See also front cover.



little radiation damage with doses of up to 10^8 rads. These two unique properties make it extremely attractive for fast calorimetry in high radiation environments.

In fact, the scintillation light from barium fluoride has two emission components, a fast one at 220 nm with a decay time of 0.6 ns, and a slow one at 320 nm with a decay

time of 625 ns. About 20 % of the total light output appears in the fast component (the useful one for fast calorimetry), ample for high energy applications. However for use at high rates, the slow component must be eliminated or reduced to avoid pileup due to close events.

(At lower counting rates, the slow component is useful for good

energy resolution while the fast component gives fast timing. These advantages over slower scintillators such as sodium iodide or BGO have been exploited in nuclear physics to detect low energy photons with backgrounds – such as neutrons – suppressed by the precise timing.)*

The simplest method is to read out the crystals by photomultiplier tubes with 'solar blind' photocathodes, most sensitive to the fast ultra-violet component but relatively insensitive to the longer wavelength slow component. This considerably reduces the slow component, but a significant amount is still detectable by the phototube.

A second approach is to heat the crystals. The slow component is less intense at higher temperatures, while the fast component is independent of temperature. At about 100C, the slow component becomes less significant than the fast, but still not low enough for many applications.

A third technique, initially tried by a group from Delft University in the Netherlands, is to add a dopant to the crystals. This suppresses the slow component by actually altering the scintillation mechanism of the crystal. This offers a potentially elegant solution if the other benefits, such as radiation hardness, are preserved. As yet this question is not resolved, and a group at Brookhaven is looking at doped crystals with the help of Merck Inc. A combination of all three approaches may be necessary.

An alternative and completely different approach for reading out barium fluoride was discovered several years ago by D. Anderson, working with Georges Charpak's group at CERN (see May 1984 issue, page 141). This technique

Accelerator Engineers & Technicians

CEBAF, now under construction in Newport News, Virginia, will be a 4 GeV, high-intensity continuous wave electron accelerator based on superconducting RF technology. The accelerator will provide a unique capability for the detailed study of nuclei.

The challenges of building this facility offer great potential for professional growth for engineers and technicians in the following areas:

CRYOGENICS

Construction of the two largest 2 K refrigeration systems in the world. Projects include a 5 kW, 2 K refrigerator, 1.5 km of transfer line, contamination detection, and a cryogenic test facility for production and R&D testing.

ELECTRICAL

Construction of a large RF power system, a state-of-the-art accelerator control system, instrumentation and control for complex experimental equipment, and power supplies for conventional and superconducting magnets.

MECHANICAL

Construction of cryogenic equipment for superconducting cavities, superconducting magnets for spectrometers, conventional magnets for beam transport, and other complex experimental apparatus.

CEBAF is located in a pleasant mid-Atlantic coastal location near Colonial Williamsburg and the Chesapeake Bay. For prompt consideration, please send résumé along with salary history to: **Employment Manager, CEBAF, 12070 Jefferson Avenue, Newport News, VA 23606.**

CEBAF

The Continuous Electron Beam Accelerator Facility

An Equal Opportunity Employer, M/F/H/V



EUROPEAN SYNCHROTRON RADIATION FACILITY Grenoble, FRANCE

The ESRF is a state-of-the-art international synchrotron radiation source to be built in Grenoble, France, to meet the needs of the European scientific community for x-rays.

We invite applications for a post of

CHARTERED ENGINEER FOR INSERTION DEVICE GROUP

with broad band experience in:

- coil magnets and permanent magnets,
- physical measurements,
- mechanical engineering,

to be responsible for the construction of insertion devices.

Please send your curriculum vitae, date of availability and names of three referees by 31 MARCH 1988 to:

**ESRF
Personnel Office - Ref/FP02.88
BP 220
38043 GRENOBLE CEDEX
FRANCE**

Amersham International, with its main laboratory complex located in the Chiltern Hills area of South Buckinghamshire (UK), is a leading international supplier of radiopharmaceuticals. Its cyclotron isotopes are produced for medical diagnostics and imaging applications, and are distributed overseas through its system of subsidiary companies. The expanding Cyclotron facility currently operates

ELECTRONICS TECHNICIAN/ ENGINEER

3 Cyclotrons and has a high reputation for its advanced computer-automated isotope production system.

An electronics technician/engineer is

required to assist with the development of computer control systems and instrumentation, as well as contributing to the maintenance and operation of the Cyclotrons. Suitable candidates will have HNC/HND qualifications and/or several years' appropriate experience.

Applicants should submit a curriculum vitae to Mrs C Marigold, Amersham Laboratories, White Lion Road, Amersham, Bucks, UK - telephone Little Chalfont (02404) 4488 ext 3251.

Bringing science to life

Amersham

uses the photosensitive gas TMAE in a low pressure wire chamber which amplifies and collects the photoelectrons produced by the fast ultra-violet light.

This type of readout offers many advantages over phototubes. First, TMAE is totally blind to the slow component and only picks up the fast light output. Second, low pressure wire chambers are very fast and work well at high rates. In addition, they are essentially blind to charged particles which can act as a source of background and lead to poorer energy resolution. Finally, the wire chamber readout makes for easy segmentation, giving tracking capability, and will work inside a magnetic field.

This technique has undergone considerable development in recent years. A Brookhaven group was mainly interested in using a detector of this kind as photon veto in a high intensity rare kaon decay ex-

periment and developed a detector using large (15 cm long) crystals read out with cathode pads. Fast electronics and pulse shaping gave an output pulse from the wire chamber with a baseline width of 20 ns and rates up to 10^7 Hz per readout element. Even narrower pulses, as short as 10 ns, should be possible at higher energies.

At CERN, a barium fluoride and TMAE detector with good longitudinal and transverse segmentation has been tested with electrons at energies up to 10 GeV. It achieved good energy (1.5 per cent), time (0.5 nanosecond) and position (few millimetres) resolution. The next step is to build a large detector using a few thousand crystals and study its performance in a real physics environment (see page 16).

TMAE is to be used in several large Ring Imaging Cherenkov (RICH) detectors in a number of new experiments, and increased

understanding of its basic properties could pay dividends.

Could there be better materials than barium fluoride and TMAE for fast calorimetry? So far barium fluoride is unique for its fast light emission and radiation hardness, and is the only scintillator emitting ultra-violet light energetic enough to photoionize TMAE. However it would not be surprising if other crystals showed similar properties. Work has really just begun toward improving our understanding of the underlying physical mechanisms for scintillation and radiation damage in these materials.

Other substances could also be better than TMAE with barium fluoride or with other crystals. Research in both areas will lead to new and better detectors for future experiments.

From Craig Woody

People and things

Isidor Isaac Rabi 1898-1988

Isidor Isaac Rabi died in January. In addition to his significant scientific contributions, he was an eloquent communicator of the values of science and played a leading role in the creation of major scientific Laboratories.

Born in Galicia and educated in America, his postgraduate studies took him back to Europe, where he worked with Bohr, Pauli and Heisenberg. Following this period

came his best known scientific contribution – the invention of the beam resonance method for measuring the magnetic properties of nuclei. This led to greatly improved precision and opened up a deeper interpretation of nuclear behaviour. Rabi was awarded the Nobel Prize in 1944 for this work.

After the war he was among the first to realize the need for larger collaborations in nuclear and particle physics. He promoted the establishment of the Brookhaven National Laboratory in the US and,

from this experience, went on to play a seminal role in the creation of CERN.

At the 5th General Conference of UNESCO in Florence in June 1950, Rabi put forward a resolution which gained unanimous support. It authorized the UNESCO Director General 'to assist and encourage the formation of regional centres and laboratories in order to increase and make more fruitful the international collaboration in the search for new knowledge in fields where the effort of any one country

Isidor Isaac Rabi, 1898-1988.



in the region is insufficient for the task.'

The importance of this resolution in the evolution of CERN was well appreciated by Europe's scientists. When CERN formally came into being several years later, a letter to Rabi from representatives of European States said, 'We have just signed the Agreement which constitutes the official birth of the project you fathered in Florence. Mother and child are doing well, and the doctors send you their greetings.'

It was because of this vital contribution to European science that Rabi was one of the invited speakers at CERN's 30th anniversary ceremony in 1984.

Another Rabi incident which has become part of science history is his legendary remark 'who ever ordered that?' on hearing of the discovery of the muon.

CERN Research Director Pierre Darriulat (who is also the Chairman of the CERN Courier Advisory Panel) receives the degree of doctor honoris causa of the University of Pavia from the rector. Looking on (left) is G. Goggi of Pavia and CERN.



The revamped UA2 detector performed creditably in the proton-antiproton collider run at CERN at the end of last year. The detector was redesigned to exploit the increased antiproton levels expected from the new ACOL antiproton source, including the AC Antiproton Collector ring. One feature is the square metre of silicon pads wrapped inside the inner detector. Admiring the unwrapped silicon are (left to right) George Sanier, Bogdan Lisowski, Claus Gossling and Trivan Pal.

(Photo CERN X164.8.87)



On the bonny banks of the River Aare in Switzerland. In the foreground is what used to be called the Eidgenössisches Institut für Reaktorforschung (Swiss Federal Institute for Nuclear Research), with the former Schweizerisches Institut für Nuklearforschung (SIN) on the far bank. The two research centres have been amalgamated under the name Paul Scherrer Institute, in honour of the distinguished Swiss physicist Paul Scherrer (1890-1969) who signed the 1952 provisional agreement for the establishment of CERN on behalf of Switzerland. Below, Scherrer is seen (right) with Niels Bohr.

On people



Cosmologists Stephen Hawking of Cambridge and Roger Penrose of Oxford receive the Wolf Prize. Their joint work twenty years ago showed the existence of gravitational singularities – black holes – in general relativity.

Retirements


The CERN accelerator physicist who might well be called Mr. Magnets passes a retirement milestone. Lorenzo Resegotti came into the spotlight as the leader of the group that built the remarkable magnets of the Intersecting Storage Rings. Never before had over 400 magnets been strung together to such a peak of perfection, paving the way for the ISR's success as the world's first proton-proton collider.

He also supervised the design and construction of superconducting quadrupoles to squeeze the colliding ISR beams, the first industry-built superconducting magnets to operate in an accelerator environment. More recently, he had the brainwave of pouring concrete around the widely spaced laminations of the magnets to bend the beams in CERN's new LEP electron-positron collider, making for substantial savings. Throughout his distinguished career, his knowledge and thoroughness have contributed substantially to CERN's acknowledged accelerator prowess.

Robert Levy-Mandel is formally retiring from CERN after sixteen years. When he arrived in the early 1970s to join the team building the



CERN's new Cray X-MP/48 supercomputer arrives.



SPS Super Proton Synchrotron, he was already well known in the field of accelerators, having played a key role at Saclay on the Saturne synchrotron. He oversaw SPS civil engineering (ranging from tunnel construction to buildings, electricity supplies and water cooling). There followed a period in the CERN Directorate and he has made important contributions to getting LEP off the ground with the preparation of the huge environmental impact study and in handling relations between CERN and its host States, France and Switzerland.

Books

'Alpha, beta, gamma.....Z, A Primer in Particle Physics' by L.B. Okun of Moscow's Institute of Theoretical and Experimental Physics from

In January, a series of lectures at CERN by Carl-Friedrich von Weizsäcker on the philosophy of science and the meaning of quantum theory drew large audiences.

Harwood Academic Publishers (translated from Russian) is the result of the author's numerous popular physics lectures, and describes the present state of the subject rather than its history. 'The money spent on high energy physics is like the money spent on our children: neither is the best investment for immediate financial return. Nevertheless, the world is unthinkable without children and the future of science is unthinkable without particle physics', writes Okun.


Another useful new Harwood book, this time in the Contemporary Concepts in Physics series, is 'Gauge Fields and Strings' by A.M. Polyakov of Moscow's Landau Institute for Theoretical Physics. In many cases, the book goes into areas which have never been completely understood, this in the hope to stimulate deeper study.

Meetings

The third conference on Intersections between Particle and Nuclear Physics will be held in Rockport, Maine, US, from 14-19 May. As with previous meetings in the series, it will stress cooperation between particle and nuclear physics in science, technology and facilities. Further information from Terry Murphy, TRIUMF, 4004 Wesbrook Mall, Vancouver, BC, Canada V6T 2A3.

The 7th Topical Workshop on Proton-Antiproton Collider Physics will be held at Fermilab from 20-24 June. Further information from Phyllis Hale, Fermilab Users Office, PO Box 500, MS 103, Batavia, Illinois 60510. Telex 910-230-3233, fax 312-840-4343, earn/bitnet PBARP7 at FNAL.

Cryogenic Components



Manufacturing Line


- Cryogenic Valves
- Bellows seal Valves
- Cryogenic Transferline Couplings
- Cryostats and Ejectors
- Tailor made Cryogenic Components

Cryogenic Control Valve

pneum. operated with
electro-pneumatic positioner
and limit switches

WEKA Ltd.

Hofstrasse 8, CH-8620 Wetzikon, Switzerland
Phone 01/932 23 02, Telex 875 744
Fax 01/932 43 03



PUISSANCE PLEIN POT!

VME

68020-68030-0S9,[®]

MAINTENANT

CHEZ :

microprocess

MICRO-INFORMATIQUE INDUSTRIELLE



97 bis, rue de Colombes - B. P. 87
92400 Courbevoie
Tél. : (1) 47.68.80.80 - Télex : 615405 F

Agence Saint-Etienne :

Tél. : 77.74.79.11 - Télex 300002

Agence Toulouse :

Tél. : 61.75.94.14 - Télex : 521390

Mike Green of London's Queen Mary College talks on the theory of superstrings at the annual UK particle theory get-together at the Rutherford Appleton Laboratory.

(RAL Photoservices)



Electronic Mail

The CERN Courier editorial desk can be contacted through electronic mail using the EARN/BITNET communications network. The Editor's address is

COURIER@CERNVM

Contributions coming in through electronic mail are edited on the screen, and are now coded for typesetting before being sent to the printer through a telephone modem link, making for increased flexibility.

For subscriptions (free!), changes of address, etc. the contact is

MONIKA@CERNVM

Distribution in the USA, West Germany, Italy, the UK and China is handled from regional centres (see page III).

SERC – RUTHERFORD APPLETON LABORATORY

PHYSICIST PROGRAMMERS/ PROGRAMMERS

The Particle Physics Department of the Rutherford Appleton Laboratory has vacancies for Physicist Programmers and/or Programmers.

Work will be to develop on-line and off-line software in support of groups doing experiments at CERN, DESY and other locations.

Candidates should be willing to travel to Geneva or Hamburg in the course of their work.

Salaries will be within the following range dependent upon qualifications and experience:

- **Higher Scientific Officer: £ 9,219 – £ 12,505**
- **Scientific Officer: £ 7,816 – £ 10,154.**

Currency negotiations are in progress for flexible pay scales and more information is likely to be available at interview.

There is a non-contributory pension scheme.

Applicants require a degree, HNC/HND or equivalent in a scientific, mathematical or engineering subject.

Appointment to the grade of HSO requires a 1st or 2nd Class Honours degree plus 2 years postgraduate experience; a minimum of 5 years relevant experience after qualifying is required from applicants with an ordinary degree or equivalent qualification. A Ph D in a relevant subject would be an advantage.

Some assistance with expenses incurred in house sale/purchase may be available in appropriate circumstances.

For an application form please write to or telephone quoting reference VN620.

Recruitment Office, Personnel Group, Rutherford Appleton Laboratory, Science and Engineering Research Council, Chilton, Didcot, Oxon OX11 0QX. Tel (0235) 44 54 35.

Applications must be completed and returned by 14 March 1988.



**COLLEGE OF WILLIAM AND MARY
WILLIAMSBURG VA.**

NUCLEAR/PARTICLE PHYSICS IN CONNECTION WITH CEBAF

The College of William and Mary invites applications from experimental and theoretical physicists interested in nuclear and particle research in connection with work at the Continuous Electron Beam Accelerator Facility (CEBAF), located 18 miles from the College.


A regular tenure track position is open at the assistant professor level. An additional position may become available, contingent upon funding, for a non-tenure track (postdoctoral or visiting professor) appointment. Successful candidates are expected to carry on an active research program. The candidate chosen for the assistant professor position is expected to teach at the undergraduate and graduate levels. Women and minorities are especially encouraged to apply.

Submit curriculum vitae, a list of publications, a statement of research interests, and names of three references to:

**Herbert O. Funsten
Physics Department
College of William and Mary
Williamsburg, Va. 23185**

The review of applications will begin April 1, 1988; the positions will remain open until filled.

The College of William and Mary is an Affirmative Action/Equal Opportunity Employer.



"HOW CAN HEWLETT-PACKARD PROVIDE FLEXIBILITY AND VALUE IN A LOGIC ANALYSER?"

*19th Century Telegraph Station
„Deutsches Museum Munich“*

Putting a complete 16-channel Logic Analyser with more than 140,000 discrete devices on a single chip is a breakthrough for the electronics industry.

"PUT IT ON A CHIP"

Putting those chips to work in a range of advanced logic analysis equipment means a breakthrough for your lab. Three new analysers offer the features you need for your projects at the lowest possible price, and provide the performance and reliability that you would expect from Hewlett-Packard. They offer a simplified user interface, with pop-up menu-driven commands, a built-in disc drive, and hardcopy output - speeding you to your solution. The HP 1650A offers 80 channels to support 8, 16, and 32-bit microprocessors. The HP 1651A has 32 channels to support most 8-bit microprocessors. Both features 25 MHz state/100 MHz transitional-timing on all channels and can be function as two separate state/state or state/timing machines for complex analysis. The HP 16500A is modular, allowing you to set up the logic analysis system that fits your needs now - and in the future. Up to 400 channels of 25 MHz state/100 MHz transitional timing, 8 channels of scope analysis, 80 channels of 1 GHz timing, or 204 channels of 50 Mbit/sec stimulus. Trigger one module with another, time-correlate measurements between modules - even view state timing, and analogue on a single screen. The HP 16500A gives you the choice.

For more information call Hewlett-Packard.



*HP16500A
Logic Analysis System*

WE'RE WITH YOU ALL THE WAY




**HEWLETT
PACKARD**

En quelques heures de l'idée à la puce programmée!

Pour parvenir à cette accélération du temps, vous avez le choix parmi toute une gamme de possibilités pour entrer les données, telles que: Schema II, outil de construction logique, schéma d'interconnexions, tables de vérité, diagrammes d'états ou tout simplement équations booléennes.

Ceci combiné avec un ordinateur que l'on pourrait croire conçu à cet effet:

Le nouveau Compaq Deskpro 386 avec une fréquence de 20 MHz et un contrôleur de mémoire tampon des plus récents. Vous disposez ainsi d'une capacité de calcul presque doublée par rapport au Compaq 386 précédent.



La famille EPLD

(Composants de logique programmables et effaçables) offre les circuits suivants.

	5C031/32	20 pin	300 portes
	5C060	24 pin	600 portes
	5C090	40 pin	900 portes
	5C121	40 pin	1200 portes
	5C180	68 pin	1800 portes
nouveau	5CBIC	44 pin	contrôleur de bus progr.
nouveau	5AC312	24 pin	logique d'entrées/sorties progr.

boîtiers plastiques disponibles pour la production!

intel® **COMPAQ** by

industrade

Semiconductor and Systems Division

8304 Wallisellen-ZH, Hertistrasse 31, Tel. 01/830 50 40
1110 Morges, Résidences de la Côte 70, Tél. 021/8021676