

People and things

In March this nine-cell cavity, working at 1 GHz, by itself managed to store an electron current of 2 mA in the PETRA ring at the German DESY Laboratory. 27 kW of r.f. power could be coupled into the 7 GeV beam.

(Photo DESY)

On people

The Academy of Sciences of Paris has awarded the High Commissioner for Atomic Energy's Prize to Pierre Darriulat of CERN for his role in the UA2 experiment at the CERN proton-antiproton Collider which contributed to the discovery of the W and Z carriers of the weak force and the confirmation of the electroweak theory. The citation also acknowledges the 70-strong UA2 collaboration, particularly the French groups from Orsay and Saclay, as well as CERN as a whole.

At a ceremony at the University of Munich in March, Yoichiro Nambu of the University of Chicago received the prestigious Max Planck Medal from German Physical Society President Joachim Treusch. At the same ceremony, the annual German Physics Prize this year acknowledged contributions to the UA1 experiment at the CERN proton-antiproton Collider which discovered the W and Z carriers of the weak force. Sharing the prize were Karsten Eggert and Ernst Rademacher of Aachen, Traudl Hansl-Kozanecka (now at Stanford), and Hans Falk Hoffmann of CERN.

UK Institute of Physics Awards


Among the awards of the UK Institute for Physics for 1985 are the Glazebrook Medal and Prize to Sir John Gunn of Glasgow, for his contributions to the establishment of large UK facilities for physics research, and the Thomas Young Medal and Prize to John Lawson of the Rutherford Appleton Labo-

ratory for his many contributions in the field of charged particle beams.


SPS Collider workshop

A workshop is being arranged to discuss the potential of the CERN SPS proton-antiproton Collider for the early 90s in view of the then simultaneous operation of the Tevatron at Fermilab, LEP at CERN

and HERA at DESY, and to evaluate the need for a new Collider detector. The 'Workshop on Physics in the 90s at the SPS Collider' will be held at Zinal, Valais, Switzerland, from 17-19 June. Study groups on physics topics and detector design have been formed and have started work. Further information from G. Matthiae at CERN, 1211 Geneva 23, Switzerland.



Fast 16 Channel CAMAC ADC Faster Conversion Time Fastest Readout Speed



Our New Fast Encoding and Readout ADC System for High Rate Analog Data Acquisition Applications, Real Time Systems, Colliding Beam Diagnostics, and Energy Based Triggers in Particle Beam Experiments

Now, an ADC system with enough precision (8 to 11 bits) to achieve high signal to noise ratios and wide dynamic range, but fast enough for real-time decisions: An ADC System that can be used for test and proto-type work and then expand to a full scale data acquisition systems.

LeCroy introduces the System 4300 Fast Encoding and Readout ADC (FERA), our new high speed, low cost, high density, analog-to-digital conversion system. Flexible modular design permits growth from single 16-channel ADC modules in existing CAMAC systems, up to multi-crate buffered installations with programmable real-time data processing.

The Model 4300 16 Channel FERA combines fast parallel conversion with an optimized readout scheme to achieve an extremely high data throughput rate. For example, if the 272 channels shown above contain 20% valid data, they can be digitized into 11 bits, have the pedestals subtracted, and be read out into the memory every 16 microseconds.

The Model 4302 Memory holds 16K of 16-bit words and can be loaded at 100nsec/word. An optional FERA Driver, the Model 4301, distributes Gate, Clear and Test signals and includes a 12-bit DAC for calibration and testing. The crate may be controlled by a Series 4800 CAB, Programmable CAMAC Processor which can perform complex algebraic operations such as cluster finding on the data as well as further data compression.

For more information on FERA, contact your local sales representative.

LeCroy

Rue Cardinal-Journet 27, 1217 Meyrin 1-Geneva, Switzerland, 82 33 55. Offices: USA, (914) 425-2000; Heidelberg, W. Germany, (06221) 49162; Les Ulis, France, (6) 907.38.97; Botley, Oxford, England, (0865) 72 72 75. Representatives throughout the world.



Germany at CERN



On the initiative and under the auspices of the Federal Ministry for Research and Technology

AEG

AEG-Telefunken
Anlagentechnik AG
Fachbereich
Leistungselektronik und
Anlagenbau
Culemeyerstraße 1
D-1000 Berlin 48
Tel.: (030) 7469-1
Telex: 185 973

Branch in Switzerland:
Elektron AG
Riedhofstraße 11
CH-8804 Au ZH
Telefon: (01) 78301 11
Telex: 875 755

Production line:

Planning and supply of plant and components for all branches of electronics.

For nuclear research in particular:

- High and low voltage switchgear
- Power electronics
- Heavy current supplies
- a. c. and d. c. drives
- Static and dynamic reactive power compensation
- Elements for the evaluation of analogue and digital signals
- Mechanical assemblies
- Workshop services (electr./mech.)

Products exhibited:

Power electronics components for magnet supplies and reactive power compensation.

- Rectifier assemblies
- Converter system for reactive power compensation
- Mechanical assemblies INTERMAS



Computer GmbH

Ein Unternehmen des AEG-TELEFUNKEN Konzerns

ATM Computer GMBH
Bücklestraße 1-5
D-7750 Konstanz
Telephone: (0 75 31) 807-0
Telex: 733 430

Production line:

The Computer System House of AEG-TELEFUNKEN

Process Control Systems

- ATM 80 Real Time Computer
- ATM 80 Process Control Applications
- Communication Systems Applications
- Office Communication
- Multi-Computer Systems
- Data Communications
- Front End Systems
- Software Tools and Procedures
- AMDES
- UNIX®
- ORACLE relational Data Base System
- Project Management and Control
- Software Engineering
- File Administration
- Word Processing



apra-norm,
Elektromechanik GmbH Daun,
Holunderweg 5
D-5568 Daun
Telephone: (0 65 92) 3081
Telex: apra d 4729 314

Production line:

Housings and mechanical components for electronic systems from steel, aluminium and plastic.

- The whole 19"-tecnic "apra-norm"!
- 19"-racks,
- 19"-cabinets,
- bench cases,
- Mounting frames,
- 19"-Subracks and sub-drawers,
- Blower inserts,
- Lab-trolleys,
- Wall-Cabinets,
- Cases for switchboard-instruments,
- Auxilliary for subracks,
- Socketstrips.

Products exhibited:

19"-cabinet,
19"-subracks and sub-drawers,
Blower inserts,
Lab-trolley,
"apra-norm" "profi set" subracks and bench cases-system
Socket strips and other auxilliary



M. BROCKSTEDT
Leiterplatten-Schnelldienst
Kieler Straße 120
D-2300 Kiel-Kronshagen
Telephone: (0431) 5861-0
Telex: 292542 lsbrk d

Production line:

Printed circuit boards, Multilayer up to 10 layer

Standard technique:

- Tin lead fusing
- solder resist
- pattern size: standard and fine
- Cu-technique: (blackening)
- solder resist coating or photopolymeric mask
- Edgeboard contact: (direct)
- Au-contact (nickel-lined)
- Electrical testing:
- 2 Mania testing units

Products exhibited:

Several production samples



Germany at CERN



On the initiative and under the auspices of the Federal Ministry for Research and Technology

DORNIER

DORNIER SYSTEM GMBH
P.O. Box 1360
D-7990 Friedrichshafen 1
Telephone: (0 75 45) 81
Telex: 734 209-0 do d

Program of supplies and services

Development and manufacturing of complete systems

Material technology:

- Surface physics · Powder metallurgy
- Surface and thin film analytics · Coating technology
- Ceramics development

Nuclear technology:

- Reliability analyses · Process development
- Process safety engineering

Hydrogen technology:

- High-temperature · Electrolysis

Energy technology:

- Systems technology · Thermodynamics · Aerodynamics
- Thermal analysis Cryotechnology · 3D Navier
- Stokes equation solution which is precise with respect to time

Manufacture:

- Manufacture of complex mech./electron. systems
- Fibre composite components, E.B. welding

- Simulation and manipulation systems

- Structures for highly dynamic motions
- Complex strength calculation · Gas ultra-centrifuge

Further activities:

- Electronics · Environmental technology
- Information and communications technology
- Transport technology · Space technology

Products exhibited:

Niobium cavity · CFK technology
Electronic components · Coating technology,
surface analysis



EG&G GMBH
ORTEC
Hohenlindenerstraße 12
D-8000 München 80
Tel.: (089) 92692-0
Telex: 528257

ESN-Elektronik

Benzweg 4
D-6100 Darmstadt
Tel.: (061 51) 86265
Telex: 4 197 177

Production line:

Nuclear Electronic
Surface Barrier Detectors
High-Purity Germanium Detectors
Proportional Counter
Measuring Devices for high
Temperature
SiLi-Detectors
High Count-rate and Low Level
Measurements
Multichannelanalyzer
Photocounting
X-Ray Analysis (RFA; WDS)

Products exhibited:

Nuclear Electronic
Computer Controlled NIM-Electronic
Multichannelanalyzer

Production line:

CAMAC Products
Standard NIM-Electronic
Fast Electronic
Photomultiplier
Interfaces for process controlled
Electronic
ADC-Multiplexer
Microprocessors

Products exhibited:

CAMAC Products
Photomultiplier Bases
Linear Amplifier
ADC-Multiplexer



F.u.G. Elektronik
GmbH
Florianstraße 2
D-8200 Rosenheim
Tel.: (080 31) 831 93
Telex: 525 712

General representative (CH)
Elektronik-Ingenieurbüro
Fritz Weber, Dipl.-Ing. ETH
Grossplatzstr. 24
CH-8122 Pfaffhausen-Zürich
Telephone: (01) 825 1844
Telex: 58524

Production line:

General purpose DC power supplies from 7 W to 35 kW,
more than 200 standard types
High-voltage DC power supplies up to 150 kV
High-current DC power supplies up to 10000 A
All power supplies are possible with IEEE-Bus-
Interface.

Special power supplies for:

- supra conductive magnets
- capacitor charging
- photo-multipliers
- micro-wave tubes
- ion sources

Power supplies to customer's specifications

Products exhibited:

High-voltage DC power supplies, various
models, up to 35 kV
Medium-voltage DC power supplies with IEEE-Bus
High-voltage cassettes up to 20 kV
General purpose DC power supplies up
to 2,8 kW

GOSSEN

GOSSEN GMBH
Mess- und Regeltechnik
Nägelbachstraße 25
P.O. Box 1780
D-8520 Erlangen
Telephone: (091 31) 827-1
Telex: 629845

Representative CH:
Ulrich Matter AG
CH-5610 Wohlen/Aargau
Telephone: (057) 227255
Telex 59463

Production line:

Measuring instruments for panel mounting
Automation equipment for control purposes
Power supplies for research and development, test,
maintenance and service
OEM power supplies
Measuring instruments for laboratories and testing
departments
Measuring and test equipment for workshops and
service engineering

Products exhibited:

Measuring instruments for panel mounting with analog,
quasi-analog or digital display:
- Panel mounted instruments for switchboards and
mimic diagram mounting or for apparatus construction
- Panel-mounted instruments with adjustable limit contacts
- New range of μ P-controlled quasi-analog bargraph
indicators and limit value monitors

Electronic controllers:

- Microprocessor-controlled 4-channel controller in
master or slave version
 - Digital auto-adapting controller
- OEM-Power supplies:
- in standard version or tailor-made, linear-controlled or
switch-mode version
- Power supplies for research and development, test,
maintenance and service:
- bench-type models or for 19" rack-mounting
 - IEEE-compatible power supplies
 - Programmer (IEEE-Interface)
 - New range of LSP-KONSTANTER with special safety
features



Germany at CERN



On the initiative and under the auspices of the Federal Ministry for Research and Technology

HEINZINGER

HEINZINGER
Control & Measuring Instruments
Happinger Straße 71
D-8200 Rosenheim
Telephone: (08031) 62044
Telex: 525777 hemes d

Production line:

Development and manufacture of stabilized DC-power supplies from 3 Watt up to 500 kW for standard and special
For nuclear research in particular-power supplies for:

- linear accelerators
- magnet coils
- Quadrupols
- supra conductors
- electronic lenses
- multipliers
- lasers
- capacitor charging

Laboratory power supplies low and high voltage up to class 10—6

- HV-Digital-system voltmeter
- HV-isolating transformers

- HV-connectors and cables up to 300 kV
- UPS-300 VA—200 V sinus/30 min.

Products exhibited:

Bipolar power supply
HV power supply
laboratory power supplies
HV-cables and connectors
UPS-300 W

INTERATOM

INTERATOM GmbH
Friedrich-Ebert-Straße
5060 Bergisch-Gladbach 1
Telephone: (02204) 84-0
Telex: 8878457 iagld - 8878492 iagld
Telecopierer: (02204) 84-3045

Engineering, Technologies

Material Technology
- Ceramics development
- Ceramic metal joints
- Composite materials
- high temperature metals
Coating technologies and surface analysis
Liquid metal technology
Cryogenics
Fluid and structure dynamics
Reliability analysis
Project management
system engineering

Manufacturing

Components for accelerator systems
- superconducting magnets
- copper cavities
- superconducting cavities
- UHV-components and systems
- UHV-piping systems
- Cryostats
- Wave guides
Special fabrication and joining techniques
- TIG, MIG, Plasma MIG, narrow gap welding
- high temperature brazing
- electron beam welding
- laser cutting and welding
- surface coating (ion plating, CVD, plasma spraying)



Knürr-Mechanik
für die Elektronik AG
Schatzbogen 29
D-8000 München 82
Tel.: (089) 42004-0
Telex: 529608-10 knnd
Telefax: 089/42004-1 18

General representative:
Knürr AG
Mechanik für Elektronik
Bruggacher Straße 16
CH-8117 Fällanden/Zürich
Telephone: 01-8250707
Telex: 59706 knuag ch

Production line:

19" steel racks · 19" aluminium racks
19" small racks · 19" cardframes
19" chassis · 19" fanunits
19" heat exchangers · 19" accessories
19" floorstanding console · VME Bus
Multibus II · Dacobas industrial furniture
such as:
- 19" lab desks · 19" mobile units
- 19" racks · floorstanding consoles
- desks for office and lab furniture
- Dacobips-Monitor cases · antistatic material
- Tronictool tools for electronics
- Rackpower power supplies AC

Products exhibited

Dacobas industriel furnitures:
- 19" lab desks
- 19" mobile units
- 19" racks
- floorstanding consoles
- desks for office and lab
- Dacobips monitor cases
- antistatic material
- Tronictool tools for electronics
- Rackpower power supplies AC



LAMBDA PHYSIK GMBH
Hans-Böckler-Straße 12
D-3400 Göttingen
Telephone: (0551) 69380
Telex: 96633 lambda d
Telefax: (0551) 68691 (GIII)

General representative
(CH):
GMP SA
Case Postale 277
Ave. du Temple 19
CH-1010 Lausanne
Tel.: (021) 333328
Telex: 24423 gmp sa ch

Production line:

Excimer Lasers,
Dye Lasers,
Laser Dyes,
For:
- linear and nonlinear spectroscopy
- photochemistry
- isotope separation
- vacuum ultraviolet generation
- medical surgery
- photolithography
- material processing

Products exhibited:

Excimer Laser EMG 103 MSC
Dye Laser FL 2002 E
microcomputer controlled



Germany at CERN



On the initiative and under the auspices of the Federal Ministry for Research and Technology

Matter HYDRAULIK

Matter HYDRAULIK AG
Büelstrasse 89
P.O. Box
CH-8474 Dinhard
Telephone: (052) 381500
Telex: 76510 mhag ch

Production line:

FAG Kugelfischer Georg Schäfer KGaA, Erlangen
FAG Hydraulic tools Lukas
FAG High-pressure industrial hydraulics
HYDRONORMA Medium-pressure industrial hydraulics
FAG Block-technology
FAG Automatic control equipment
FAG Test technology
FAG Hydraulic plants, system-building
FAG Rescue equipment Lukas
Hydraulic bolts pre-tensioning equipment
WEPUKO-Hydraulik GmbH & Co., Metzingen
High pressure-in-line plunger pumps
High pressure pumps for nuclear power stations with pulsation dampener
High pressure piston compressors
High pressure-radial piston pumps

Complete hydraulic equipment and electro hydraulic controls drives for liquid-liquid extraction with adjustable stroke frequency and functions like sine, triangle, saw tooth, trapezium, rectangle.

INTERNORMEN-Filter GmbH, Altlusheim

High pressure duplex filters
High- and medium pressure filters
Suction filters with housing and suction filters without housing
Reservoir-mounted return line filters
Reservoir-mounted duplex return line filters
Single filters for inline · Duplex filters
Single- and duplex filters for coarse filtration
Oil-water-coolerfilter for inline and reservoir mounting
Fill in- and vent filters · Oil bath vent filters
Clogging indicators

Products exhibited:

Pumps · Valves · Filters
Hydraulic bolts pre-tensioning equipment



Modutec
Am Osdorfer Born 30
D-2000 Hamburg 53
Telephone: (040) 8030 12-15
Telex: 2 163 678

Production line:

Mechanical devices and accessories for electronic systems
19" cabinets and racks
CAMAC and NIM-crates
FASTBUS-crates and card-frames for EUROCARDS
Modules and cassetts for all systems
Front-panel-cutouts and printing
Airconditioners and blower-systems
Custom-made special mechanical parts, cabinets and racks in steel, aluminium
and VA also extrusions
Test-cards and motherboards
Power supplies for CAMAC, NIM and card-frames
Socketstrips

Products exhibited:

19" cabinets and racks
CAMAC and NIM-crates
FASTBUS-crates and card-frames for EUROCARDS
Modules and cassetts for all systems
Airconditioners and blower-systems
Power supplies for CAMAC, NIM and card-frames



RÖHR RHEINBLEI GMBH
Bruchfeld 52
4150 Krefeld 12 (Linn)
Tel.: (021 51) 590233-37
Telex: 853823

General representative (CH):
Jakob Scherrer Söhne AG
Allmendstr. 7
8059 Zürich 2
Tel.: (01) 2027980
Telex: 58700

Production line:

Rolled and extruded products made of lead and lead alloys, especially lead sheet and plate from 0,2 to 200 mm thick, up to 3,20 m wide in coils up to 300 m long.
Special lead sections, lead wire and lead pipes up to a width or outside diameter of 300 mm.
Lead sheets bonded to supporting plates (composite material)
Nuclear engineering:
- Lead bricks according to DIN 25407 and euratom
- Lead containers
- Lead linings and other lead screens
- Precision lead components — stamped, pressed, deep drawn or die-cast
- Lead granules

Products exhibited:

Lead plates with extremely small thickness tolerances (f.e. 4 mm $\pm$ 0,03) for Hadron calorimeter barrel and end cap
Extruded lead shieldings
Special lead sections
Lead bricks
Lead containers
Lead safes
Lead shielding for pipework



SCHOTT

SCHOTT GLASWERKE
Optics Division
Hattenbergstrasse 10
D-6500 Mainz
Telephone: (061 31) 66-0
Telex: 4 1879220 smd

Subsidiary Sales Company (CH):
SCHOTT SCHLEIFFER AG
CH-8714 Feldbach ZH
Telephone: 055/41 1141
Telex: 875628 Isag ch

Production line:

Optical glasses for imaging optics and special applications,
Optical glasses with special properties,
Glass-ceramics of infinitely low thermal expansion,
Glass filters and interference filters for optical control and measuring equipment,
Fiber-optics,
Radiation-shielding glasses and windows.

Products exhibited:

Glasses with Cerencov effect,
Stabilized glasses with Cerencov effect,
Scintillating glasses,
ZERODUR glass-ceramics,
Optical filters,
Fiber-optical components,
Cold-light source KL 1500.



Germany at CERN



On the initiative and under the auspices of the Federal Ministry for Research and Technology



Spindler & Hoyer GmbH & Co. General representative
Werk für
Feinmechanik und Optik
Königsallee 23
D-3400 Göttingen
Telephone: (0551) 6935-0
Telex: 96737


(CH):
Wild + Leitz AG
Postfach 145
CH-8032 Zürich
Telephone: 01-556262
Telex: 54517

Production line:

Optical benches/accessories
Collimators, expanders
Light and radiation detectors
Apertures, pinholes etc. · Beam splitters
Optoelectronic components
Laser components and optics
Optical test equipment
Filters · Spatial filters
Interferometers
Lasers
Lenses, all types · Laser eye protective glasses
Mirrors, Laser mirrors · Gratings, Reticules
Holographic systems and devices
Laser systems · Light sources, components
Optical tables · Coatings, all types
Prisms, all types

Products exhibited:

Motor control with measuring tables
Equipment for the production of holograms
Holograms
HeNe laser with frequency stabilization
Optical and mechanical construction systems
Optical elements
Optical elements for laser
Optical table with HeNe laser
Microbench, set of optical and mechanical components
Laser eye protective glasses



Dr. Bernd Struck
Hauptstraße 95
D-2000 Tangstedt
Telephone: (041 09) 9966/67-68
Telex: 2180715 tegs

Production line:

CAMAC products
NIM products
FASTBUS products
Physical Trigger Systems
Track processors
VME products
Microprocessor developments Z 80, 8086 based (user specific)
Bloodgasanalyser, gradientoven, animal feeding processors
Oceanographic research · IEEE 488 products
relative navigationsystems
Militaric developments

Products exhibited:

FASTBUS products, Sequencer, SI, CIA
Crate, FIORI, BUS-Monitor, Display Unit, KLUGE Cards,
FULLPOWERED CRATE,
CFIFC, CFI-NFI, CFICC,
IEEE 488-products
NIM products
VME products, CFIVC



VACUUMSCHMELZE GMBH
Grüner Weg 37
D-6450 Hanau/Main
Telephone: (061 81) 362-1

Production line:

Soft Magnetic Alloys
Inductive Components e.g. chokes, transformers
Soft Magnetic Moulded Sintered Parts
Permanent Magnet Alloys
Glass-to-Metal and Ceramic-to-Metal Sealing Alloys
Thermobimetals
Age-hardenable Spring Alloys
Constant Modulus Alloys
Mineral Insulated Electrical Conductors
Resistance Heating Alloys
Controlled Thermal Expansion Alloys
High Field Superconductors
Amorphous Metals
Vacuum Melted Special Steels
Electron Tube Materials

Products exhibited:

Semiproduces and parts of permanent magnet alloys
Amorphous metals
High field superconductors
Inductive components and magnetic shieldings.

Wandel & Goltermann

Electronic Measurement Technology



Mühlweg 5
Postfach 45
D-7412 Enningen u. A.
Telephone: (071 21) 891-1
Telex: 729833 wug d
Fax: (071 21) 88404

Spitalackerstr. 51
Postfach 254
CH-3000 Bern 25
Schweiz
Telephone: 31-426644
Telex: 32-112 wago ch

Production line:

Audio and LF Measuring Technology
Voltage and Level Measuring Technology
Spectrum and Network Analysis
Distortion Measuring Technology
Data Circuit Measuring Technology
Data Network Diagnostics and Data Analysis
PCM Measuring Technology
Analysis and Stabilisation of Supply Networks
Measuring Systems

Products exhibited:

Data Analyzer DA-10
Diagnostics Responder DIR-1
Data Measuring Set DMS-1
Data Network Diagnostics Equipment DNE-2300
A.C. Power Line Harmonic Analyzer NOWA-1
Optical Level Power Meter OLP-1
Bit Error Measuring Set PF-4
PCM Jitter Generator PJG-4
Level Generator PS-15
Spectrum and Network Analyzer SNA-1
Selective Level Meter SPM-15

Wes-Crates Kristensen

Wes-Crates GmbH elektronische Systeme
Kristensen GmbH elektronische Steuerungen
und Geräte
Pattburger Bogen 33
D-2398 Harrislee
Telephone: (0461) 75202/72494
Telex: (2627) 461309 = Kristen

Production line:
CAMAC - Crates, acc. to CERN-Spec.
- Power Supply, linear " "
- Power Supply, switch " "
- Dataways and Fan Units " "

FAST-BUS - Crates acc. to CERN-Spec.
- Power Supply, switch " "
- Backplane " "
- Fan Units, Heat Exchanger " "

Electronic modules and equipment on request
Control-Systems for digital and analog values
(Temperatur, Pressure, CO₂, Dew Point, etc.) on
customers request

Products exhibited:
CAMAC-Crate with Switch Power Supply, Dataway
and Fan.
FAST-BUS-Crate with Switch Power Supply, Backplane,
Fan and Heat Exchanger.
Mikroprocessor Control-System for Temperatur, Dew
Point, Pressure and Smoke.



Hans Wiener GmbH & Co.
Neuenhaus 106
5632 Wermelskirchen 1
Telephone: (02196) 2021
Telex: 8513388

General representative
(CH):
Elcotron SA
1, Rue de la Morâche
1260 Nyon
Telephone: (022) 61 5352
Telex: 421 565

Production line:
NIM-crates and CAMAC-crates
CAMAC-crates, switching power supplies
Europa type, switching power supplies
VME type, Multibus II-type switching power
supplies
custom designed power supplies

Products exhibited:
NIM-crate CERN-type N 8053
CAMAC-crates CERN-type 099, CERN-type 337
switching power supplies (Europa type, Multibus II,
custom designed)

Organization of the exhibition: Kienbaum International Promotion GmbH · D-5270 Gummersbach and Partner Mr. W. Esser, Mrs. Dr. G. Heppner.

Electrical feedthroughs and insulating tubes

High vacuum proof and
pressure resistant electri-
cal feedthroughs and in-
sulating tubes, produced in
series or according to
customers' specific requi-
rements; for high voltage,
high current and measuring
techniques in industry and
research.

The electrical feedthroughs
can be delivered in non-
magnetic version too.

We will be
on show, at
ACHEMA '85
Hall 9, stand BC 5-7

Distributed in Switzerland by:
Degussa (Schweiz) AG
Degussa (Suisse) SA
Letzigraben 89 · 8003 Zürich
Telefon 01-49139 00 · Telex 822 577




For multiple
and extremely
diversified applications:
FRIALIT®

Friedrichsfeld



Friedrichsfeld
Division FRIALIT-DEGUSSA
P.O. Box 7 · D 6860 Mannheim 71
Telephone (06 21) 4 70 40 · Telex 46 310 320



TRIUMF
MESON RESEARCH FACILITY

UNIVERSITY OF
BRITISH COLUMBIA

Postdoctoral and Research Associate Positions Intermediate Energy Physics

Postdoctoral and Research Associate positions are available for experimental physics with the University of British Columbia groups at the TRIUMF 500 MeV cyclotron. Candidates should have experience in a relevant field of physics and have completed a Ph.D. in nuclear or particle physics within the past two years. Graduate students expecting to complete their degrees within the next few months are also invited to apply.

These appointments can be renewed annually (subject to the usual budgetary confirmation) up to a maximum period of three years. Salary will depend on experience, with a minimum of \$ 23,000 per annum.

Curriculum vitae, list of publications and names of three referees should be forwarded as soon as possible to:

Dr. G. Jones
Department of Physics
University of British Columbia
6224 Agriculture Road
University Campus
Vancouver, B.C. Canada
V6T 2A6

In accordance with Canadian immigration requirements, priority will be given to Canadian citizens and permanent residents of Canada. This advertisement is valid for a two year period.



Low Temperature Physicist (Ph.D.)

The Swiss Institute for Nuclear Research has an opening for a physicist with experience in low temperature instrumentation and physics in the new low temperature muon spin rotation (μ SR) facility at SIN. This facility consists of a He_3 - He_4 dilution refrigerator with top loading capability and base temperature of 5 mK, and a pair of superconducting Helmholtz coils. The successful candidate will be responsible for the operation, maintenance and development of this instrument. The candidate is also expected to participate in the physics program of the μ SR-groups using this facility. Current programs include the study of heavy Fermion systems and investigations of quantum diffusion of μ^+ at very low temperatures.

The appointment will be initially for 3 years with possibility of renewal in mutual agreement. The position is available immediately. Additional information can be obtained from Dr. S. Mango (Telephone 056/99 32 71) or Dr. A. Schenck (056/99 32 63).

Applications, containing curriculum vitae, list of publications and references should be sent as soon as possible to

SIN,
Personnel Division,
CH-5234 Villigen/Switzerland,
Code 591.

STANFORD UNIVERSITY

The Stanford University Physics Department and High Energy Physics Laboratory

are seeking candidates for a faculty position at the level of Professor (Research).

The opening is for a highly qualified physicist with expertise in experimental techniques using large scale, high energy, particle detectors.

The selected person would be expected to play a major part in the ongoing Stanford programs in space-borne detectors studying extra-terrestrial gamma-ray sources and in non-invasive angiography experiments using synchrotron radiation.

Applications with **curriculum vitae** and names of references should be sent to

Professor MASON R. YEARIAN,
Department of Physics,
STANFORD UNIVERSITY
Stanford, California, U.S.A. 94305

within one month of the appearance of this advertisement.

Stanford University welcomes women and minority applicants and is an Affirmative Action/Equal Opportunity employer.

RUTHERFORD APPLETON LABORATORY

HIGH ENERGY PHYSICS RESEARCH ASSOCIATES

There are vacancies for Research Associates to work with experimental groups in high energy physics. Groups from the Rutherford Appleton Laboratory are working on experiments at CERN, DESY, SLAC and FERMILAB.

Candidates should normally be less than 28 years old. Appointments are made for 3 years, with possible extensions of up to 2 years. RAs are based either at the accelerator laboratory where their experiment is conducted, or at RAL depending on the requirements of the experiment. We have in addition home-based programmes on development of detectors, microprocessor systems, etc. Most experiments include UK university personnel with whom particularly close collaborations are maintained.

Please write for an application form quoting VN 303 to

**Recruitment Office, R20,
Rutherford Appleton Laboratory,
Chilton, Didcot, Oxfordshire OX11 0QX,
ENGLAND.**



In the Nuclear Physics section of the Dutch National Institute for Nuclear Physics and High-Energy Physics, NIKHEF-K positions are vacant for

POST-DOCTORAL RESEARCH ASSOCIATES

in experimental intermediate energy nuclear physics.

The Institute operates a 500 MeV high-duty cycle linear electron accelerator. The research program focusses on deep-inelastic particle knock-out processes, high-resolution nuclear-structure studies and the photo-production of pions. An advanced dual-spectrometer set-up provides excellent opportunities for coincidence studies with an unmatched energy resolution. The successful candidate will be expected to initiate and conduct research in the electron-scattering team.

The appointment will be for two years.

Further information can be obtained from Prof. Dr. C. de Vries, tel. 020-5922142.

Applications, including a resume and the names of three referees should be sent within two weeks after appearance of this advertisement to:

**Prof. Dr. G. van Middelkoop,
Scientific Director,
NIKHEF-K,
P.O. Box 41882,
1009 DB Amsterdam,
The Netherlands.**

LOW NOISE PREAMPLIFIER DEVELOPMENT

Physicist or Engineer

LeCroy Research Systems Corporation's High Energy Physics Division is currently seeking a physicist or electronic engineer with experience in low noise preamplifier or other high speed circuit design.


Responsibility entails creating LeCroy hybrid and monolithic preamplifiers specific to the requirements of large particle detectors to be used at FNAL, LEP, HERA, BNL, and other labs worldwide. In most cases, this will involve direct working relationships with the collaboration members responsible for the detectors. Up to 25% travel should be anticipated.

This unique position offers a smooth transition between the physics research or academic environment and industry. Salary is negotiable and dependent upon capabilities and experience.

To apply, send introductory letter and resume to:

Dr. Werner Farr
LeCroy Research Systems Corporation
700 S. Main Street
Spring Valley, New York 10977 USA
An Equal Opportunity Employer M/F/H

LeCroy



Electrotechnique
Electronique
Informatique



Energy Products

Accumulateurs au plomb



E 1036/85 F

- Accumulateurs à recombinaison au plomb, parfaitement étanches aux gaz.
- 100% de capacité après 5 ans et 80% après 8 ans de service.
- Le système d'accumulateurs moderne pour les installations de sécurité, d'alarme et de mesure, les télécommunications et les applications à courants élevés.
- Types livrables actuellement:
SBS 30 12 V/26 Ah
SBS 40 12 V/35 Ah
SBS 110 6 V/100 Ah (autres types en préparation).
- Nous disposons de références d'entreprises américaines et européennes connues de l'aéronautique et des télécommunications.
- Dimensions réduites.

Prévoyez la place pour les accumulateurs au plomb Gates, le système d'accumulateurs à longue durée de vie de l'avenir.

W. MOOR SA

4, route de Préverenges, CH-1026 Denges/Lausanne
Téléphone 021 7109 01, Téléc 458 237, Téléfax 021 7109 59

W. MOOR AG, CH-8105 Regensdorf

W. MOOR Ges.m.b.H., Wien
W. MOOR DATA Ges.m.b.H., Wien
W. MOOR GmbH Stuttgart, Dortmund et Munich

DIMENSIONS AHEAD IN SCINTILLATION CRYSTAL TECHNOLOGY

Crystal Materials for your applications.

HILGER
Analytical


Hilger Analytical Limited
Westwood Margate Kent CT9 4JL
Tel: 0843 25131/24261 Telex: 96252



FLOWMETERS


Calibrated and non-calibrated instruments for liquids and gas

Available from our stock in Zurich



type 1100

Heraeus
Quartz glass



lenses, mirrors, cuvettes, hatches, disks, prisms, rods, tubes

Triple prism in isotopic and homogeneous SUPRASIL quality, deposited on the moon in a retro-reflector-system as part of the Apollo program.


Ask for further information

WISAG

Oerlikonerstrasse 88
tel. 01/311 40 40
8057 Zurich

You need hands-on experience for programming...

...the same goes for power supplies



If you want your system design to be in good hands, put it in ours.

We can supply customer adapted systems for you, down to the last detail. We guarantee that our designed to-day systems will still be up-to-date tomorrow.

KW


Dr. K. Witmer Elektronik AG

Seestrasse 141
CH-8703 Erlenbach/ZH
Tel. 01/915 35 61

Sales office for french part of Switzerland:
3 rue Marteney, 1005 Lausanne
Tel: 021/22 85 37

Here is the first modular, fullpowered FASTBUS CRATE

We show this instrument
at the German Exhibition
at CERN 4-7 June 85 Stand 15



Features

- + 5V/200A
- 5.2V/200A
- 2V/100A
- ± 15V/10A

in preparation:

- + 5V/300A
- 5.2V/300A
- 2V/
- ± 15V/

Agencies

Great Britain, Japan, Italy, Canada
Messrs. Smith + Jones, Newbury/GB
Phone: 0533 703 526

Switzerland
Messrs. ANTARES AG, Nussbaumen/CH
Phone: 056 823783 - Telex: 58703

Netherland, Belgium
Messrs. UNITRONICS, Nieuwegien/NL
Phone: 3402 38559

Schweden
Messrs. Gunnar Peterson AB, Stockholm-Forsta/S
Phone: 08 939280 - Telex: 17944

- Medienics including Backplane
- Auxiliary Logic
- Fan-Unit, plugable
- Power Box
- Plugable from the rear
- Option: Aux. Backplane



DR. B. STRUCK

2000 TANGSTEDT / HAMBURG GERMANY
HAUPTSTR. 95 • TELEFON 04109/99 66/67
POSTFACH 1147 • TELEX 2180 715 TEGS

DISCOVER THE EMOTION OF ULTRA HIGH-SPEED
DATA CONVERSION WITH

MOD. 7423-UHS

THE WORLD'S FASTEST 8K ADC
FOR NUCLEAR SPECTROMETRY.



3 μ sec fixed dead time

Integral non linearity: $\leq 0,02\%$

Differential non linearity: $\leq 0,15\%$



SILENA S.p.A.
Via Negrolì 10/A - 20133 MILANO, ITALY
Telephone Nos. 02/71.38.71 - 74.90.565
Tlx 322523

For details on Mod. 7423-UHS contact us
or your local SILENA Sales Representative:
Germany: SILENA GmbH - Tel. 06055-4021

France: INEL - Tel. 03-9563190
England: J. CAUNT - Tel. 0865-880479
Netherland and Belgium: Intequip - Tel. 020-735413
Austria: BAI - Tel. 0222-942251
Switzerland: Nucletron - Tel. 021-252423
Spain: Instrumatic (1) 455.8112
India: Electronic Enterprises - Tel. 8827096
South Africa: Williston Elin (011) 648-1040



HARNESSING THE UNIVERSAL PROBE PHOTONS

Hamamatsu detectors can help you use photons in ways never before thought possible. Many of our photomultiplier tubes offer theoretical sensitivity, resolution and repeatability. Our silicon photocells provide outstanding sensitivity, stability and linearity from 190nm to 1200nm. New detectors for high energy physics achieve high gain, high count rates and high energy resolution. Unique PMT's feature sub nanosecond rise time and internal image intensification. New array detectors open photodetection capabilities never before possible.

We offer the world's most complete line of photomultiplier tubes $\frac{3}{8}$ " to 20" in diameter, but we are not limited by these sizes. We custom select detectors, custom modify detectors and design unique detectors to meet special needs. In fact we need to know your special needs so that we can develop the detectors of the future.

So, take a look at our detector brochure and tell us the kind of photons you want to count. The odds are we can help you do it extremely well.

CALL OR WRITE FOR CATALOG

HAMAMATSU


HAMAMATSU CORPORATION • 420 SOUTH AVENUE • MIDDLESEX, NEW JERSEY 08846 • PHONE: 201/469-6640
International Offices in Major Countries of Europe and Asia.



micro - control

Une volonté française
d'offrir aux physiciens du monde
le meilleur service.

Z.I. de St-Guénault
B.P. 144 - 91005 EVRY Cedex
Tél. : (6) 077.82.83 - Télex 691 105 F



Supports et composants
optiques sur table d'expérience
en granit (CEA Limeil).



Ready at hand: Measuring equipment for your data communication links actually carrying traffic

Our Data Measuring Case DMS-1 offers you a tailor-made solution to your measuring problems. The case can accommodate up to 5 measuring instruments, ready at hand and packed ready for use. For analog and digital parameters, for troubleshooting and maintenance work on modems and data circuits. The instruments are equipped with accumulators and can be recharged or operated while in the case. Handy, compact, sturdy and not dependent upon a mains power supply. This means that each individual measuring instrument can also be used outside the case. A total of 15 instruments are available, e.g.:

- ★ **Level generator**, 20 Hz – 20 kHz.
- ★ **Level meter**, 15 Hz – 20 kHz.
- ★ **Data line measuring set**: Impulsive noise in accordance with CCITT O.71 and interruptions in accordance with CCITT O.62.

★ **Modem tester**: Bit and block error rate, bias and individual distortion, time measurements.

★ **Interface tester** for checking, jumpering and simulation; for V.24/V.28, X.20/X.21, X.26/X.27.

★ **Speech attachment** for dial-up and speaking on the test channel. Ask for information.

Information Coupon

Please send me
☐ Information on the DMS-1
☐ Your product catalog "Data Measuring Technology"

Name

Company

Street

Town/City


Telephone

Wandel & Goltermann

(Schweiz) AG
Postfach 254
CH-3000 Bern 25
Tel. (031) 42.66.44
Telex 32 112 wago ch



E 3290 K



Carbon fiber construction elements

Well-founded informations give you a personal lead in any project management. Take for example

for specific use in experimental physics, for panels, pipes, shaped parts and combination products.

Please request detailed information. Mr H. Mauch will be glad to advise you personally.

We offer a range that is based on 25 years' experience and know how through successful collaboration with field specialists.



Stesalit AG
Kunststoffwerk

CH-4249 Zullwil/SO
Telefon 061/80 06 01, Telex 63182

We provide easily built-in safety in Know-how.

W&P

FREEZING & STORAGE




CRYOBIOLOGICAL STORAGE VESSELS

Europe's largest range.
High quality stainless steel for long term storage in liquid nitrogen.
3,000 already sold.

LIQUID/GAS CYLINDERS

For nitrogen, oxygen, helium, etc.
Virtually indestructible.
5 year guarantee.
More than 100,000 already sold.




DEWARS AND REFRIGERATORS

Ultra low nitrogen consumption.
Long long holding times.
More than 170,000 already sold.

CONTROLLED RATE FREEZERS

World leaders in controlled rate freezing of biological specimens.



Planer are manufacturers of controlled rate freezers and exclusive European distributors for Minnesota Valley Engineering cryobiological storage vessels, dewars and refrigerators.



PLANER BIOMED
A DIVISION OF PLANER PRODUCTS LTD

Leaders in low temperature technology

Windmill Road, Sunbury-on-Thames, Middx., UK
Tel: Sunbury (09327) 86262 Telex: 928185

AMPLIFIERS FROM PHILLIPS
AMPLIFIERS FROM PHILLIPS
AMPLIFIERS FROM PHILLIPS
AMPLIFIERS FROM PHILLIPS
AMPLIFIERS FROM PHILLIPS
AMPLIFIERS FROM PHILLIPS

We Have A Complete Line Of Amplifiers Ready To Plug Into Your Experiment
Whether Your Requirement Is For NIM, CAMAC, or Single Channel Units.

MODEL #	PACKAGE	CHAN'LS	GAIN	BW-MHz	/ tr nS	MAX. OUT	FEATURES
6931	6×7×4cm	1	100	DC-100	/ 3.5	±2.2V	<10uV Noise, DC Bal. Adj.
6950	6×7×4cm	1	10	DC-300	/ 1.1	±2.5V	<5uV/° C Stab, DC Bal. Adj.
6954	6×7×4cm	1	5-400	20-1000	/ .35	±2.0V	Inv. or Non-Inverting
770	NIM	4	10	DC-300	/ 1.1	±2.5V	<25uV Noise, DC Bal. Adj.
771	NIM	4	1-10	DC-300	/ 1.1	±2.5V	Gain and Offset Control
774	NIM	4	5-400	20-1000	/ .35	±2.0V	uCP Amp, Inv. or Non-Inv.
775	NIM	8	5-400	20-1000	/ .35	±2.0V	uCP Amp, Inv. or Non-Inv.
776	NIM	16	10	DC-275	/ 1.3	-3.5V	PMT Amp, <25uV Noise
777	NIM	8	2-50	DC-200	/ 1.7	-3.5V	Var. Gain & Offset/Chan.
7176	CAMAC	16	10	DC-275	/ 1.3	-3.5V	PMT Amp, Low Cost/Chan.
7177	CAMAC	8	2-50	DC-200	/ 1.7	-3.5V	Var. Gain & Offset/Chan.

To Learn More About Our Products Contact . . .

Phillips Scientific


13 Ackerman Avenue • Suffern, New York 10901 • USA • (914) 357-9417



CERN Quadrupole QMB and QWL low biter insertion.



QWL Large cross section.



QMB Narrow cross section


High vacuum chambers, special section pipes. Cryogenics. Engineering. Constructions in Stainless-steel, also AISI 316 L N, DIN 1.4429, with low magnetic permeability, sheets and ingots, Titanium, Hastelloy, Inconel, Copper, BeCu, etc.

Send enquiries.



PRO·CU·RA
IMPIANTI S.R.L.

Via dei Guarneri 14
I 20 141 Milano, Italy.
Phone 02/5390.281/5692.122.
Cable PROCURAMA, MILANO ITALY




**CONSTRUCTIONS ÉLECTRONIQUES
ET MÉCANIQUES DU LÉMAN – C.E.M.E.L.**

201, rue Léone-de-Joinville
01 170 GEX, France
Tél. (50) 41 50 07 Télex 309030 F

- Réalisation de tout matériel mécanique et électronique.
- Usinage tous métaux, spécialiste prototypes.
- Travaux à façon de petites et moyennes séries.

Exécution soignée suivant votre planning.

21 ans d'expérience avec le CERN et divers centres de recherche mondiaux.




Roulements à aiguilles
Nadellager - Needle Bearing

NADELLA

Spécialiste du "sur mesure"

Performant dans le standard



SKB - NADELLA

Fabrique de roulements à aiguilles
Route de Soleure 66-68, CH-2504 Bienne
Tél. 032/41 20 31, Télex 34169 skbna ch

Un problème de roulements à aiguilles? Contactez-nous!

Nous vous offrons toute une série d'avantages:

- Roulements fabriqués en Suisse par des passionnés de la précision
- Etudiés avec vous déjà au niveau de la planche à dessin
- Collaboration étroite et assistance technique permanente avec notre département Etudes
- «Sur mesure» ou standard; une gamme étendue de produits
- Service mondial (un vrai!)
- Production du groupe: 70 millions de roulements et dispositifs à aiguilles par an
- Plus de 50 ans d'expérience


En outre nos possibilités d'usinage nous ont permis souvent d'exécuter pour nos clients les pièces voisines du roulement facilitant ainsi l'approvisionnement et le montage.

SI VOUS UTILISEZ LES COLLIERES DE SER-
RAGE RESISTANT A LA CORROSION, DANS
LES DIAMETRES ENTRE 7 - 11 JUSQU'A 242 -
262 MILLIMETRES, VOUS DEVRIEZ CONNAITRE
LES DEUX PRODUITS DE POINTE QUE NOUS
VOUS PROPOSONS A DES CONDITIONS RAISON-
NABLES:

FLEXINOX (MIL C 6985):
EN INOX 18/8 OU 18/8 MO
SUR DEMANDE.
LARGEUR DE LA
BANDE 5 - 8 - 13 MM.

SERFLEX: EN ACIER
ZINGUE, BANDE INOXIUM,
LARGEUR 5 - 8 - 14 MM.

.....ET, COMME SUPPLE-
MENT GRATUIT: LA PLU-
PART DES MODELES
SONT EN DEUX PIE-
CES AGRAFABLES
POUR FACILITER
LE MONTAGE.



FLEXINOX



Société anonyme

PRECIMATION

Rue de l'Hôpital 12 - 2501 Bienne
Tél. 032 223 223 Téléc 34 222 preci ch

Colliers en Inox 18/8. Types: **Microflex**,
largeur 5 mm, en une pièce, 2 grandeurs
entre 7 et 19 mm de ϕ ; **Minox**, largeur 8 mm,
en une pièce, 10 grandeurs entre 11 et 97
mm de ϕ ; **Minox S**, largeur 8 mm, en deux
pièces, 19 grandeurs entre 18 et 262 mm
de ϕ ; **Flexinox**, largeur 13 mm, en deux
pièces, 20 grandeurs entre 14 et 262 mm
de ϕ .

Colliers en acier zingué et Inoxium, en une
ou deux pièces, 54 grandeurs entre 54 et
262 mm de ϕ . (Types: **Miniflex**, **Minus**, **Ser-
flex**). Grandeurs spéciales sur demande.

Ealing

84/85 Optics Catalogue



Notre gamme Optics Ealing peut vous rendre
de précieux services pour l'expérimentation et
la résolution de problèmes dans le domaine
optique.

Demandez notre nouveau catalogue 1984/85.

G P Electronic AG

Gesellschaft für Prozess-Automation


Bändlistrasse 29, CH-8064 Zürich

Telefon (01) 64 45 55/56

Telex 822 382 gpel

WAVETEK®


Function Generators



Model 23

Synthesized Function Generator

- 10 mHz to 32 MHz
- 0.005% Accuracy
- AM, FM, Trigger and Gate
- IEEE-488 or RS-232 Interface



Model 20

Function Generator

- 0.002 Hz to 2.1 MHz
- 20 Volt pp Output
- TTL Pulse Output
- 220 VAC or Batterie Power

Please ask for
the new
Catalog

Made in Germany

ADVANCED-
ELECTRONIC
INSTRUMENTATION



**KONTRON
ELECTRONIC**


Kontron Electronic AG
Bernerstrasse Süd 169
CH-8048 Zürich
Telephone 01-435 41 11

Kontron Electronic SA
10, ch. des Croisettes
CH-1066 Epalinges
Telephone 021-33 15 35




Macintosh™

is available from
your authorised Apple dealer



01210 Ferney-Voltaire
France
(50)40.50.59

Macintosh is a trade mark licenced to Apple Computer Inc.



MacVEE

The Direct Link
from the Macintosh™
to VMEbus crates

Available from:

bergoz

Crozet
01170 Gex, France
(50)41.00.89

The system was developed by CERN, Geneva, Switzerland.
CERN accepts no responsibility for the quality, design or
performance of these equipment.



HE-NE LASER

for industrial applications, education
and research. Made in Europe.

Favourable prices, reliable service, short delivery.

PL-505B	0.5 mW	battery powered
PL-605	0.5 mW	integral power supply
PL-610	1.5 mW	integral power supply
PL-710	1.5 mW	separate power supply
PL-750	5.0 mW	separate power supply
PL-650W	5.0 mW	waterproof
PL-810	1.2 mW	head size (dia. x l) 25 x 240 mm
PL-1000	10.0 mW	Invar resonator with
PL-2000	25.0 mW	Brewster windows

Polarized versions are also available. Typical tube life time:
15 000 hrs.

Ask for detailed laser data sheet and price information.



Polyscience AG

Bleichstrasse 8
CH-6300 ZUG
Tel. 042 / 22 15 33

Advertisements in CERN COURIER

Format A4

Monthly publication

All advertisements are published in both English and French editions. Second language versions accepted without extra charge.

Space (page)	Actual size (mm) width by height	Cost per insertion (Swiss Francs)			
		1 insertion	3 insertions	5 insertions	10 insertions
1/1	185 x 265	1730	1680	1630	1530
1/2	185 x 130	960	930	910	860
1/4	90 x 265	550	520	500	480

Supplement for:

— each additional colour 1500 SwF

— Covers:

Cover 3 (one colour) 2000 SwF

Cover 4 (one colour) 2750 SwF

Publication date 1st of month of cover date:

Closing date for
positive films and copy

1st of month preceding cover date

The cost of making films and of
translation for advertisements are
charged in addition.

Screen (offset)

60 or 54 Swiss (150 English)

Advertisements cancelled after 1st
of month preceding cover date will
be invoiced.

Advertising space is limited to 50% of contents and insertions
are selected on a strict first-come first-served basis.

These rates are effective for the year 1985.

All enquiries to:


Micheline FALCIOLA / CERN COURIER - CERN

CH-1211 Geneva 23 Switzerland

Tel. (022) 83 41 03 Telex 2 36 98



Rubans adhésifs spéciaux pour l'industrie électrique



- Construction des transformateurs
- Fabrication de relais et de bobines protectrices
- Construction de moteurs électriques
- Fabrication d'éléments de construction
- Fabrication de plaquettes à circuits imprimés
- Installations électriques

Demandez la documentation
détaillée.

BANDFIX AG

Industriestr. 19, 8962 Bergdietikon, Tél. 01 74111 22, Tx 56 285



Coupon

☐ Veuillez m'envoyer de plus amples renseignements avec
des échantillons

☐ Nous désirons de conseils professionnels. Veuillez nous
téléphoner

Entreprise: _____

Adresse: _____

Tél.: _____

CERN



NEUTRINO OSCILLATIONS?



ν_e

ν_μ

KfK is looking for them with the XP3462

XP3462

t_r = 3 ns, anode pulse rise time for delta-function light pulse
 R_E = 10%, for ^{57}Co and a 3" x 3" NaI(Tl) scintillator
 s_k = 85 mA/W (11,5 $\mu\text{A/lmF}$)
 G = 10^6 at 1500 V
Pulse linearity within 2% up to 100 mA

The KfK* experiment, in a 6000 ton neutrino blockhouse at the Spallation Neutron Source at RAL, calls for 2240 photomultipliers combining first-rate time response with good energy resolution. To their specification we developed the 3 inch, 8 stage XP3462.

*KfK: Kernforschungszentrum Karlsruhe

We've set the standard for over 20 years

Philips Electronic Components and Materials Division, 5600 MD Eindhoven, The Netherlands. Telex 35000 phtcnl




Electronic
components
and materials

PHILIPS

Gase und Flüssigkeiten


überwachen, messen, kontrollieren!

Strömungswächter, Durchfluss-Mengenmesser, Niveau-meter, Druckwächter – auch ex-geschützt, SEV-geprüft. Wir beraten Sie gerne.



Surveiller, mesurer, contrôler

gaz et liquides! Indicateurs de circulation, débitmètres, niveaumètres, contrôleurs de pression – également ex. anti-déflagrantes, contrôlées ASE. Nous vous conseillons volontiers.




TECHNOKONTROLL AG

8049 Zürich, Imbisbühlstr.144 Telefon 01 56 56 33

THEVENET CLERJOUNIE
TRANSITION JUNCTIONS CEA SYSTEM
FOR CRYOGENIC, VACUUM, NUCLEAR AND SPACE APPLICATIONS

ALUMINUM
ALLOY



STAINLESS
STEEL

THEY HAVE THE
SAME MECHANICAL
CHARACTERISTICS
AS THE ALUMINUM
TUBE AND CAN ALSO
BE FABRICATED
TO ANY MATERIAL
SPECIFICATIONS

TOTALLY RELIABLE BIMETALIC

TRANSITION JUNCTIONS

FOR TUBULAR ASSEMBLIES

UP TO Ø 600 MM (24")

10^{-9} atm. cm³. S⁻¹

10 MPa

0 to 573 K

UNDER RADIATION



* COMMISSARIAT A L'ENERGIE ATOMIQUE

CALL OR WRITE FOR DOCUMENTATION


THEVENET CLERJOUNIE • DEPARTEMENT JONCTIONS TC
CONTACT: M. ARMAND PINET, CONSULTING ENGINEER
22, AVENUE FRANKLIN-ROOSEVELT • 69517 VAULX-EN-VELIN
CEDEX FRANCE • TELEPHONE: (7) 849.54.64 • TELEX 380 544 F


ateliers Maître

granits pour la métrologie

Z.I. de St-Guénault
BP 144 - 91005 EVRY Cedex
Tél.: (6) 077.82.83 - Télex 691.105 F

Banc de mesure interférométrique course
25 mètres (Ministère de l'industrie –
Service des instruments de mesure.).





THE RIGHT MATERIAL ENSURES PROGRESS

The foundation of all VAC alloys is base metal. A laboratory employing over 200 scientists, engineers and technicians provides the stimulus required for innovation. All our efforts are aimed at creating certain properties in the material, such as thermal, magnetic and/or electrical behaviour. These ensure the optimum function of a part, which naturally contributes to the effectivity of the end product.

The development of materials extends its influence beyond the field of technology. For example — high permeability magnetic materials, and the knowledge of how to handle them, have put VAC in a position to build a "walk-about" shielded room for the Physikalisch-Technische Bundesanstalt in Berlin, which to date has the highest shielding factor in the world. It provides facilities for research work on new diagnostic methods for heart and brain disease.

As a producer of materials working on the initial stages of development, VAC not only plan for the immediate but also for the distant future. Our superconductors are one such product. Following successful participation in several major research

projects our superconductor VACRYFLUX® is increasingly being used for more practical applications, e.g. in medical technology, and modern analytical techniques.

By comparison our amorphous metal VITROVAC® is a relatively new product combining the different properties of crystalline metals in an ideal manner. Today it represents a novelty, in a few years it will be accepted as the norm, as are superconductors and other special materials. In future these materials will all contribute to the slogan "The right material ensures progress" — VAC is already working on it.



VACUUMSCHMELZE GMBH

Grüner Weg 37 · D-6450 Hanau 1 · West-Germany
Phone: (061 81) 362-1 · Telefax: (061 81) 362 645
Telex: 4 184 863

More kick for less pounds, francs, yen, deutschmarks pesetas or dollars.

Good news for particle accelerators.


EEV, a world leader in high energy switching thyratrons, has now developed a single cathode multi-gap tube that operates as a bi-directional switch.

Now you can double the power delivered to kicker magnets without substantial rebuilding costs.

This new tube, the CX1671, is a plug-in replacement for the CX1171. Its unique hollow anode design was originally developed by EEV to switch the severe inverse voltages occurring in pulsed gas discharge lasers.

When operating at an anode voltage of 80kV, it has proved capable of switching 2500 amps of reverse current in a 2 microsecond pulse, without any degradation in performance after 10 million pulses.

For further information on this state-of-the-art thyatron, contact EEV today.



EEV Thyratrons

EEV, Waterhouse Lane, Chelmsford, Essex CM1 2QU, England. Tel: 0245 261777. Telex: 99103.
EEV Inc, 7 Westchester Plaza, Elmsford, NY 10523, USA. Tel: 914 592 6050. Telex 6818096.
EEV Canada Ltd, 67 Westmore Drive, Rexdale, Ontario M9V 3Y6. Tel: 416 745 9494. Telex: 06 989 363.

CRYOGENICS

ALL THE TOOLS YOU'LL EVER NEED

Reliable, useful cryogenic equipment from Air Products is indispensable to the researcher working at low temperatures.

HELI-TRAN® open-cycle coolers are a simple-to-use source of refrigeration from below 2K to 300K.

DISPLEX® closed-cycle refrigerators provide reliable, continuous-duty cooling from 10K to 450K.


HELIPLEX® closed-cycle refrigerator is a liquid-cryogen-free source of continuous cooling from 3.7K to 300K.

DISPLEX® cryopumps and LN₂-free cold traps offer clean, fast vacuum.

And... Air Products has the most complete line of accessories vital to spectroscopy, ESR, DLTS, NMR, matrix isolation, Hall effect, and other low-temperature research.

Send for our latest catalog.

Air Products and Chemicals, Inc., Dept. APD-SG,
1919 Vultee Street,
Allentown, PA 18103, (215)
481-3975. Telex: 84-7416.



Put a PDP 11/70 in your System Crate,

with the latest member of our STARBURST family :

SCI 2280 System Crate Interface.

In just one slot it provides an interface between the Q-bus and CAMAC which conforms to the System Crate concept of connecting computers to CAMAC, and is directly software-compatible with existing systems.

Join it to an ACC 2180 equipped with a 2134 back-plane and 2135 disk subsystem and you have a powerful and compact stand-alone computer driving your System Crate.

Use it to increase the performance of existing systems by installing it in the crate where a branch-coupler resides, and connecting it to an ACC 2180 acting as a system controller in a 'normal crate'.

For the ultimate power within your System Crate, the ACC 2180 can be equipped with a performance booster which increases both the processing speed and the data-aquisition rate.

At CES, tomorrow's systems are available NOW

For more information contact us, or your local CES representative:

Creative Electronic Systems SA

70, route du Pont-Butin Case Postale 122

1213 Petit-Lancy 1

Switzerland

Tel:(022) 92 57 45

Telex: 421320 CES-CH

Belgium:

Canberra Positronika

Tel:(54)321611

North America: Bytech Eng. Vancouver

Tel:(604)9804131

France:

INEL

Tel:(3)9563190

South Germany: Silena

Tel:(060)554021

Italy:

Silena

Tel:(02)7490565

Netherlands:

Canberra Positronika

Tel:(040)416355

Japan:

Toyo Corp.

Tel:(03)2790771


North Germany: PCP

Tel:(040)802046

England:

Nuclear Enterprises


Tel:(073)5212121



CES
CREATIVE ELECTRONIC SYSTEMS

Programmable High Voltage

**...to simplify your setup,
stabilize your system,
and eliminate the margin
for error**



Large Systems

Series 1440—The most economical, yet the most rugged programmable multichannel supply available.

- Up to 256 HV outputs/mainframe
- All outputs independently controllable
- ± 2.5 kV, 2.5 mA/channel
- RS232 or CAMAC (IEEE 583) control
- Industrial grade—field proven reliability
- Utilizes 16-channel plug-in cards

Medium Systems

Series HV4032A—Offers four different supplies which may be used simultaneously and controlled in the same mainframe. Offers exclusive HV protection features and convenient controls.

- Up to 32 HV outputs/mainframe
- All outputs independently controllable
- ± 3.3 kV, 2.5 mA/channel
- ± 7 kV, 0.5 mA with programmable current limit/crowbar
- RS232 or CAMAC (IEEE 583) control
- Utilizes 2 and 4-channel plug-in pods

Small Systems

Model 2415—Designed for use in CAMAC-Standard (IEEE 583) modular systems. Allows convenient remote control of your entire setup.

- One HV output module
- CAMAC-programmable control or manual operation
- Up to ± 7 kV at 1 mA
- Up to ± 3.5 kV at 2.5 mA
- Voltage and current monitor
- Programmable current limit and voltage

For all of your multichannel and single channel, CAMAC or RS232-controlled needs, even up to 7 kV, LeCroy has the answer. Contact your local representative.



700 S. Main St., Spring Valley, NY 10977, (914) 425-2000; Geneva, Switzerland, (022) 82 33 55; Heidelberg, West Germany, (06221) 49162; Les Ulis, France, (6) 907.38.97; Rome, Italy, (396) 320-0646; Botley, Oxford, England, (0865) 72 72 75.
Representatives throughout the world.

LeCroy



The world's best power tubes are used in the world's most important scientific programs.

Since 1971, when Varian EIMAC introduced the one megawatt X-2159/8974, we have been the world leader in design and manufacture of high power tubes for scientific and communication applications.

Among the many users of EIMAC tubes in high technology fusion research, particle acceleration and other state-of-the-art investigations are:

- European Organizations for Nuclear Research (CERN) ▪ Fermi National Accelerator Laboratory ▪ Stanford Linear Accelerator Center ▪ Lawrence Berkeley Laboratory ▪ Los Alamos National Laboratory (LAMPF and FMIT programs) ▪

- Oakridge National Laboratory ▪ Princeton Plasma Physics Laboratory ▪ TRIUMF Laboratory (University of British Columbia) ▪ GSI Darmstadt (FRG) ▪ Culham Laboratory (England) ▪ CEA Foutenay-au-Rose (France) ▪ Textor-KFA Julich (FRG) ▪ GA Technology (Doublet-3).

Power tubes developed and manufactured by Varian EIMAC used in the facilities mentioned include the 8973, 8974, X-2062K/9009 and Y676A/9013. These tube types will be joined by others in development to meet new program requirements.

More information is available from Varian EIMAC. Or the nearest Varian Electron Device

Group sales office. Call or write today.

Varian EIMAC
301 Industrial Way
San Carlos, CA 94070
415 • 592-1221

VARIAN AG
Steinhauserstrasse
CH-6300 Zug, Switzerland
Tel: (042) 23 25 75
Telex: 868-841

