


1. Diagram of the 15 foot bubble chamber under construction at Batavia showing the disposition of the major components.

2. Aerial view of the Neutrino Laboratory on the NAL site taken during the summer. The globe shape of the bubble chamber vacuum vessel can be seen on the right and on the left the bubble chamber control room, which will be topped by a geodesic dome, is being built.

3. Arrival of the chamber body on the site at the end of October. The photograph is taken looking at the top of the chamber where the six camera ports are located. It was installed inside the vacuum tank on 30 November.

cost is estimated at \$ 4.5 million plus \$ 0.5 million for installation and \$ 2.0 million for manpower. Since early this year, the globe of the 7 m diameter vacuum chamber has been a prominent feature of the NAL site and on 25 October the chamber body itself arrived at the Laboratory and was installed in its final position in the vacuum tank on 30 November. It is hoped that if everything continues on schedule the first cooldown of the chamber will take place in July 1972 and that it will be ready for experiments by the beginning of 1973.



CC correspondents

Our concluding words in the 1971 edition of CERN COURIER are words of thanks to all those who have helped in the supply of news throughout the year. In particular, we should like to express our appreciation of the efforts of our correspondents in other Laboratories whose ready response to requests for information adds greatly to the value of the journal :

ARGONNE
BATAVIA
BERKELEY
BONN
BROOKHAVEN
CAMBRIDGE
CORNELL
DARESBURY
DESY


DUBNA
FRASCATI
KARLSRUHE
LOS ALAMOS
ORSAY
RUTHERFORD
SACLAY
STANFORD
TRIUMF
VILLIGEN

T.H. Groves
C.W. Larsen
G. Goldhaber
H.E. Stier
J. Spiro
W.A. Shurcliff
A. Berkelman
T.W. Aitken
G. Söhngen
A. Foelsing
V.A. Biryukov
M. Ghigo
F. Arendt
W.H. Regan
P. Lehmann
H.F. Norris
G. Neyret
S. Kociol
E. Auld
W. Hirt

SOLLWERT UND ISTWERT

AUF EINEN
BLICK

ELEKTRONISCHE JUMO-TEMPERATUR- REGLER



DAS IST *Sicherheit*

Die echte Istwertanzeige auf der 240 mm langen Skala gestattet eine exakte Ablesung der Augenblickstemperatur, ohne dabei rechnen zu müssen. Diese Regler gibt es zum Anschluß an Thermoelemente oder Widerstandsthermometer, mit einem oder zwei Schaltpunkten, mit PD- und PID-Rückführung, Relais-, Kleinschütz- oder Thyristor-Ausgang, in steckbarer und wasserdichter Frontplatten-Ausführung, mit AMP-Steckverbindungen, usw.

JUMO MESS- UND REGELTECHNIK®

M. K. JUCHHEIM GMBH & CO · D 64 FULDA
TELEFON: 06 61/8 31* TELEX: 04-9 701

Advertisements in CERN COURIER

All advertisements are published in both English and French editions. Second language versions accepted without extra charge.

Space (page)	Actual size (mm) width by height	Cost per insertion (Swiss Francs)		
		1 insertion	6 insertions	11 insertions
1	184 × 267	1080	1000	920
1/2	184 × 130 88 × 267	580	540	500
1/4	88 × 130	300	280	200

Supplement for one colour

Cover colour 400 swF.

Covers:

Cover 3

1300 SwF

Cover 4

1600 SwF

Publication date

End of month of cover date

Latest booking date

1st of month of cover date

Advertisements cancelled after 1st of month of cover date will be invoiced

Closing date for blocks and copy

10th of month of cover date

Screen suggested

48 (120 English)

All enquiries to:

Micheline FALCIOLA / PIO - CERN

1211 GENEVA 23 Switzerland

Tel. (022) 41 98 11 Ext. 4103 Telex 2 36 98

Angst+Pfister

- Synthetic and Natural Rubber
- Engineering Plastics
- GACO Sealing Products
- Power Transmission Elements

52-54, route du Bois-des-Frères
1211 LE LIGNON-GENÈVE
Tel. (022) 45 14 00

ZURICH

MILAN

PARIS

CSCC*/Nb₃Sn

- niobium-tin superconductor of the best quality and lowest price.
- superconducting ribbon widths 0.050, 0.090, 0.250, 0.500".
- current carrying capacity at 100 kG from 100 amp to 2000 amp.
- special sizes and configurations manufactured at minimal extra cost.
- design and construction of large superconductive devices.

CSCC/Cryogenics

- design of cryogenics installations and interconnection with large superconductive devices.
- design and contracting of large helium refrigerator/liqefier systems.
- cryogenics consultants.
- specialists on problems of installation and commissioning.

*Licensee under patents of RCA Corporation


WRITE FOR OUR BROCHURE

CANADA SUPERCONDUCTOR AND CRYOGENICS COMPANY LIMITED
COMPAGNIE SUPRACONDUCTEUR ET CRYOGÉNIE DU CANADA LIMITÉE



205 Ave. St. Denis, St. Lambert, Quebec, Canada. Telephone (514) 671-0751

SAPHYMO-SRAT



**Le pionnier
dans les alimentations
Standard «CAMAC»**

RPI 95.3 B

C7 ALJ 13 D

200 Watts disponibles

+	6 v	25 A
—	6 v	10 A
+	12 v	3 A
—	12 v	3 A
+	24 v	3 A
—	24 v	3 A



DIVISION ALIMENTATIONS

SAPHYMO-SRAT


SERVICES COMMERCIAUX

51, rue de l'Amiral Mouchez - Paris 13° - FRANCE
Tél. 588.16.39, 588.45.39

AUTRES FABRICATIONS

Blocs BSI
Blocs type CEA
Alimentations variables de laboratoire
Alimentations haute tension
Alimentation multi-sorties
Alimentations sur mesure

Creusot-Loire nucléaire



Laboratoires de physique nucléaire
(équipements pour accélérateurs - analyseurs - spectromètres)

Cern (Genève)

- circuit magnétique du synchrocyclotron (2 500 tonnes)
- circuits magnétiques et corps de chambres à bulles:
CBH 81 - CB 200 - GARGAMELLE
- circuits magnétiques des aimants OMEGA et SFM
(en cours)
- enceinte magnétique de la chambre à bulles BEBC
(en cours)


en France

- CEA (Saclay) - SATURNE: structures de la chambre à vide, éléments des dispositifs d'injection, équipements des salles d'expérience
- ENS (Orsay) - ACCELERATEUR LINEAIRE: spectromètres et déviations, circuits magnétiques de l'anneau de stockage
- LABORATOIRE JOLIOT-CURIE (Orsay): analyseur de particules du synchrocyclotron

Grâce à la complémentarité de ses filiales et participations le groupe Creusot-Loire peut assurer:
ingénierie - architecture industrielle - réalisation - entreprise générale



CREUSOT-LOIRE
DEPARTEMENT NUCLEAIRE
107 bd de la Mission-Marchand 92-Courbevoie
Tél. 333 59-99 - 333 60-70 Télax Sider 62039 F



CAMAC/ COMPUTER INTERFACES

in the flexible 2200 Series

- Available for DEC PDP9, PDP15 ; HP 2100, - 14, - 15, - 16 and Varian 620i. Others on request
- Fully Camac compatible
- Programmed data transfers
- Module-to-module transfers
- System status supervision

Hardware options enable top-speed data transfers in minimum computer time by either :

- Built-in automatic CNA scanner
- DMA block transfers

Also available :

Crate Controllers (Esone A) ; Dataway Display ; Quad Scalers and flexible modular Crates.

borer + **co** ELECTRONICS
4500 Solothurn 2, Switzerland. Tel. 065 4 88 21. Telex 34228

Pilot M... an out-of- the-ordinary plastic scintillator

**for out-of-
the-ordinary
jobs**

**The only solvent-bondable
scintillator available,
Pilot M provides:**


- Clear, high-strength joints for large and complex configurations, and applications involving physical stress
- Superior light transmission
- Excellent bonding to light pipes — ideal for cryogenic applications
- Scintillation properties approaching Pilot B


**Send for
complete data
on Pilot M
and other
superior
Pilot Chemicals
scintillators.**



NEN **New England Nuclear**
Pilot Chemicals Division

In Europe:
NEN Chemicals GmbH
6072 Dreieichenhain
bei Frankfurt/M.
Siemensstrasse 1
Postfach 71, Germany





Instant UV recording!

Forget about taking half a day to set up your UV recorder.

Solartron's outstanding OM.4501 does away with signal matching and is ready to use in 60 seconds flat!

And just look at this performance, all in a rugged portable 400mm x 130mm x 350mm package.

- 8 channels with a range of up to 1,800Hz.
- 8 push button-controlled paper speeds and optional remote control.
- Built-in amplifiers assuring galvanometer protection.
- Built-in calibrated time lines, event markers and trace identification.
- Low power consumption.
- Fast paper loading.
- And 24v output for powering transducers, etc.


Prove the OM.4501 for yourself.

Set it up, test its performance, carry it round awhile. And think of the time and trouble this instantly operational, high performance portable will save you.

15, rue du Jeu de l'Arc
1207 Genève - Tél. (022) 35 99 50

Schlumberger


The Giant Ten



Digital Equipment's new family of big computers, DECSYSTEM-10. Each of the five systems (2nd shown) is a price/performance giant.

New faster, bigger processor. Expanded core memories. More COBOL features. New high performance dual density disk packs. Super multiprocessor systems. Improved card readers. New magtapes. And more.

DECSYSTEM-10 runs four functions: batch processing, multi-access




conversational timesharing, remote job entry (batch and time-sharing), and real-time equally well and simultaneously.

All five systems run all four functions using the same operating system with the same job control commands. All are serviced by the same language processors COBOL, ALGOL, FORTRAN, BASIC, MACRO, and many others. The only thing that changes is speed and capacity.

Digital Equipment Corporation
International-Europe, 81, Route de l'Aire,
CH-1211 Geneva 26. Tel. 022/42 79 50,
Telex 22683.

Reading, London, Manchester,
Birmingham, Edinburgh, Munich,
Cologne, Hannover, Frankfurt, Vienna,
Stockholm, Oslo, Copenhagen, Paris,
Grenoble, The Hague, Brussels, Zurich,
Milan.

digital



General specifications

Composition

Shell : brass 59 A
Insulator : teflon PTFE
Contact : brass 59 A

Finish

Shell : nickel + chrome
RP + RPL types gold plated 3 microns
Contacts : nickel and 3 microns gold plated
Operating temperature range : -55°C $+150^{\circ}\text{C}$

Electrical specifications

Characteristic impedance : $50\ \Omega \pm 2\%$
Frequency range : 0-10 GHz
Max VSWR 0 - 10 GHz : 1 : 12
Contact resistance : $< 8\ \text{m}\Omega$
Insulator resistance : $> 10^{12}\ \Omega$ under 500 V. DC
Test voltage (mated F + RA) : 3 KV. DC
Operating voltage (mated F + RA) : 1 KV. DC
Normal maximum cable diameter : $\phi 126$
Special arrangement : $\phi 157$



LEMO S.A.

Tél. (021) 71 13 41 Télex 24 683 1110 MORGES (Switzerland)

GAME table at our serial production. Three tables with D-Mac digitizers are now installed at University College London.

Ask their Dr. F. W. Bullock about it and then contact us: Saab-Scania, Industrial Systems Division, Fack, S-550 02 Jönköping 2, Sweden, Tel +46 36 11 97 80.

**DATASAAB
CONTROL**



SEND IN THIS ADVERTISEMENT

for details of a

QUADRUPOLE MASS SPECTROMETER

AT THE LOWEST PRICE

£1160 (U.K. only)

NEW EXTENDED MASS RANGE (2-200)

UNIT RESOLUTION TO 100

SENSITIVITY up to 10^{-13} torr

LINEAR MASS SCAN

TWIN FILAMENTS

**SELECTIVE PEAK MONITOR
ACCESSORY AVAILABLE**

CENTRONIC

20th CENTURY ELECTRONICS LTD.

Centronic Works, King Henry's Drive,
New Addington, Croydon CR9 0BG.
ENGLAND Telephone Lodge Hill 2121

Please send me details of your LOW COST/HIGH PERFORMANCE Model Q806 Quadrupole Mass Spectrometer, with a list of 26 applicational studies for which the Q806 is particularly suited.

Name

Position

Company

Address


Tel. No.

PLUG - IN CONNECTORS FOR P/C BOARDS

« HIGH QUALITY »

Type STV

32, 64, 96 pins



Temperature range: — 65° ... + 125° C

Resistance against:

Shock: ... 50 g

Acceleration: ... 100 g

Vibration: ... 20 g between
10 and 2000 c/s

— Designed according to IEC and DIN
standards

— Tested in accordance with VG 95 324

— VDE approved and QPL listed

Application:

General high quality electronics purposes,
military, aviation, marine and space-research
equipment.

Suitable for single — double — and multilayer-
prints.

Connection with mini or standard wrap-type
wiring, or with soldering methods.

Terminals arranged in a two or three row
pattern.

ERNI + Co. Elektro-Industrie
CH-8306 Brüttisellen-Zürich
Telephon 051 / 93 12 12
Telex 53 699

ERNI

a sleepy application of **SEN CAMAC**

164	3	0	0	101	107	63	10
165	3	0	0	100	103	62	11
166	3	0	0	100	108	61	11
167	3	0	0	102	112	62	10
168	3	0	0	100	109	59	10
169	3	0	0	101	108	63	11
170	3	0	1	100	109	61	11
171	3	0	0	99	103	64	12
172	3	0	0	100	103	61	11
173	M 3	0	6	101	594	69	14
174	A M 2	0	24	209	777	78	10
175	M 2				689	61	11
176	M 2				131	67	13
177	M 2				300	77	12
178	M 2				96	73	13
179	M 2				94	72	12
180	M 2				106	70	13
181	M 2				734	72	14
					102	71	15

Automatic Analysis of Sleep Electroencephalograms.

Polygraphic recordings of human sleep are automatically analysed by a system consisting of SEN CAMAC modules and a NOVA computer. The system gives a minute by minute diagnosis of sleep stages, along with comments (e.g. artefacts) and numerical results for rapid and slow eye movements, muscle tone and heart and respiratory rates.

*This is one application of SEN CAMAC.
Another one is e.g. a
DUAL PARAMETER
PULSE HEIGHT ANALYSER*


Which of them is closer to your problem? Please let us know, we would appreciate it.

Developed in collaboration with the psychiatric clinic of Bel-Air in Geneva

31, av. Ernest-Pictet
1211 GENEVA 13
SWITZERLAND
Tél. (022) 44 29 40

SEN
ELECTRONIQUE

Stabilised DC power... Brentford performance keeps ahead



"A 25 kW, 50 Volt, 500 Ampere Highly Stabilised Power Supply—one of the 101 equipments of 6.6 to 826kW capacity, manufactured for the intersecting storage ring at CERN. This equipment has an overall $\frac{1}{2}$ -hour stability including ripple of 20 p.p.m. over a 1000:1 current range. The design incorporates a Brentford Digital/Analogue Converter."

Back in the early 60's, we supplied DC power stabilised to 1 part in 1000 long term, including ripple, for the beam line magnets of the 'Nimrod' proton synchrotron at the Rutherford High Energy Laboratory in the U.K. On our latest installations we are doing better than 1 part in 100,000.

The reason could be summed up in one word. Experience. Since the 50's, we have developed stabilised DC power supplies from 10 to 10,000 kW, 50,000 amperes. Our reputation as specialists has taken our equipment into many advanced projects—into CERN Switzerland, the Culham and Harwell laboratories of the U.K.A.E.A., the Rutherford and Daresbury laboratories of the Science Research Council, the Argonne and National Accelerator laboratories U.S.A., and Heidelberg and D.E.S.Y. in West Germany.

As our experience grows, our designs achieve ever tighter tolerances. We can hold that beam steady, even with coincidence of load resistance changes, ambient temperature changes, frequency variations, step functions and slow rate changes in the AC supply.

While you search deeper and deeper into the nature of matter—leave the DC power problems to Brentford.

BRENTFORD



Brentford Electric Limited, Manor Royal, Crawley, Sussex, England
Telephone: Crawley (0293) 27755 Telex: 87252
Cables: Breco Telex Crawley Sussex A MEMBER OF THE GHP GROUP



THE QUEEN'S AWARD
TO INDUSTRY 1971
FOR TECHNICAL INNOVATION

1 part in
10,000

1 part in
1000

1 part in
100,000

LE GROUPEMENT

ALCATEL RIBER

PRINCIPAL FOURNISSEUR FRANÇAIS DE VIDE ET D'ULTRA-VIDE
MET A VOTRE DISPOSITION



- Une équipe de vente nombreuse et hautement qualifiée : 12 ingénieurs.
- Une organisation commerciale décentralisée : 5 agences en France et Belgique.
- Les usines de deux Sociétés ayant fait leurs preuves dans les fabrications destinées à la technique du Vide.
- Une gamme complète de produits du Vide primaire à l'Ultra-Vide.

riber publicité jmt



notre équipe de vente :

- | | |
|--------------------|-------------------------|
| 1 DUVAL Paris | 7 DANNENMULLER Grenoble |
| 2 CROIZET Dijon | 8 LAMBOLEY Paris |
| 3 CONTOU Marseille | 9 BUISSON Paris |
| 4 DECRION Paris | 10 VALETTE Paris |
| 5 BORGNE Paris | 11 PIGEON Paris |
| 6 MONTERNOT Paris | 12 LAURENDEAU Paris |


ALCATEL RIBER

Techniques du vide et de l'ultra vide

22 bis, boulevard de l'Hôpital-Stell
92 Rueil-Malmaison - France - Tél. 967.85.20

Clear View

Maximum Safety



Schott designs radiation-shielding windows of all types, especially dry windows. Schott produces and supplies radiation-shielding windows for nuclear research throughout the world.

Our experienced specialists are at any time at your disposal to solve your problems. Detailed technical data and design examples are included in our Catalogue No. 3200.

SCHOTT

JENA^{ER} GLASWERK SCHOTT & GEN., MAINZ
(West Germany)